

Via US Mail and e-mail (bergin.sean@epa.gov)

June 22, 2012

Mr. Sean P. Bergin USEPA Region 7 901 N. 5th Street Kansas City, KS 66101-2907

Subject:

Air Inspection of Shine Bros. Corp.

225 10th Avenue SE / 528 E. Park St., Spencer, IA 51301

Dear Mr. Bergin:

We have reviewed your air inspection report and offer the following comments:

Construction Permit No. 98-A-914 (Dry Chemical Storage Silo)

Due to the silo being loaded every other month, the total amount of air flowing through the internal baghouse (Belle Style Dust House) amounts to approximately 252,000 cubic feet per year. Iowa DNR has agreed that the permit will be amended to remove the particulate testing and be replaced with a "No Visible Emissions" or "No VE" standard with a requirement to conduct an opacity test.

Construction Permit No. 98-A-917 (EP-04)

IDNR is reviewing the new permit application to adjust some items to reflect operating conditions. The stack test, conducted in September 2011, demonstrates that total PM emissions are at 0.47 lb/hr, well below the permit requirements of 1.2 lb/hr for PM_{10} . The stack size is too small to measure PM_{10} in the field.

Under "additional equipment," you stated that you observed a wire chopping operation that was not permitted. That particular piece of equipment is a pre-chopper, designed to create smaller pieces of wire from large pieces. The pre-chopper was installed prior to 1998 when the permit was last adjusted. The permit for EP-04 includes the pre-chopper, although the equipment is not connected to the cyclone separator. Basically, the pre-chopper is loaded from the top and cut wire is discharged at the bottom. There can be no hood over the equipment as that would interfere with loading wire into the machine using a skid steer or loader. We have been in discussions with IDNR as to what permit modifications, if any, may be necessary.

Construction Permit No. 98-A-918 (EP-05)

IDNR is reviewing the stack test conducted on EP-04 as a means of translating to emissions generated by EP-05. At present, either a stack test will be conducted directly on EP-05 or air dispersion modeling will be conducted.

A door was recently installed, as per your recommendation, on the west side of the building where the southern cyclone loads the roll-off box. This has reduced the amount of material that was observed accumulating on the pavement outside the building, and therefore will greatly reduce the potential for material to migrate off-site through stormwater conveyance.

We will continue to work with IDNR on items of concern to the Agency to clear up any items regarding air emissions. Additional stack testing or dispersion modeling will take place in the near future to clarify those items.

Should you have any questions or concerns, please call me at (712) 262-5579, ext. 121.

Sincerely,

SHINE BROS, CORP.

Mike Wycoff, Plant Manager



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 7 901 NORTH 5TH STREET KANSAS CITY, KANSAS 66101

MAY 16 2012

Mike Wycoff Shine Brothers Corp. 528 E. Park Spencer, IA 51301

Dear Mr. Wycoff:

On April 10, 2012, a representative of the U. S. Environmental Protection Agency (EPA) inspected your facility. The inspection was conducted under the authority of the Clean Air Act. A copy of the inspection report is enclosed for your information.

EPA is presently reviewing the findings of the report to determine your facility's compliance with the applicable statutes, permits, or regulations. If it is determined that violations exist, EPA reserves all rights it may have to take appropriate enforcement action.

If there are any questions regarding this report or actions that you may want to take, please contact me at (913) 551-7599.

Sincerely,

Lisa T. Hanlon

Sisa T. Harlon

Air Permitting and Compliance Branch

Enclosure



AIR COMPLIANCE INSPECTION REPORT

U.S. Environmental Protection Agency Region VII Environmental Services Division

SHINE BROTHERS CORPORATION 528 EAST PARK SPENCER, IOWA 51301

TELEPHONE NUMBER: (712) 262-5579

AFS PLANT I.D. IA-041-00019

APRIL 10, 2012

INTRODUCTION

At the request of the Air and Waste Management Division (AWMD), the Environmental Field Compliance Branch (EFCB), conducted an unannounced Full Compliance Evaluation (FCE) inspection of Shine Brothers Corporation, located in Spencer, Iowa. This inspection was conducted in conjunction with a multimedia inspection which also included a stormwater compliance evaluation, conducted by Mr. Green (EPA). During the FCE, a Level B multimedia screening inspection was performed. Please see Attachment 1 for a copy of the multimedia screening inspection checklist.

Air Program: SIP

Facility Classification Code: Minor

PARTICIPANTS

Shine Brothers Corporation (Shine Brothers):
Mike Wycoff, Plant Manager
mike@shinebros.com
Eva Shine, Business Manager/Corporate Attorney
eva@shinebros.com

Iowa Department of Natural Resources (IDNR): Amber Wolf, Environment Specialist Thomas Roos, Environmental Specialist

U.S. Environmental Protection Agency (EPA): Sean P. Bergin, Environmental Scientist Peter M. Green, Environmental Scientist

INSPECTION PROCEDURES

Upon arrival at Shine Brothers, Mr. Green, Ms. Wolf, Mr. Roos, and I met with Mr. Wycoff and Ms. Shine. We presented our credentials and explained the purpose of the inspection and the procedures we

wished to follow. I then asked Mr. Wycoff and Ms. Shine questions about the facility and facility operations. Following that, Mr. Wycoff and Ms. Shine conducted a tour of the facility.

During the inspection, I reviewed the operating, monitoring and maintenance records that Shine Brothers are required by their construction permits to collect and maintain. I also reviewed the Shine Brothers operations to identify areas subject to federal and state regulations not identified in their construction permits. Mr. Wycoff signed and was provided a copy of the Confidentiality Notice (Attachment 2), and Receipt for Documents and Samples (Attachment 3).

Additional information included in this report was obtained from the Iowa Department of Natural Resources (IDNR).

At the conclusion of the inspection, an exit interview was conducted. During the exit interview I discussed my preliminary inspection findings with Mr. Wycoff and Ms. Shine. A Notice of Preliminary Findings was not issued at the time of the inspection.

PROCESS/FACILITY DESCRIPTION

Shine Brothers is a metal salvage and recycling facility, specializing in wire chopping and auto shredding. The Shine Brothers facility covers approximately 40 acres of land and is located in southeast Spencer, on the north bank of the Little Sioux River. Air emission source equipment include: wire chopping lines, balers, industrial shears and an automotive shredder. The wire chopping lines are used to separate wire insulation from the wire. The wire insulation is stabilized and hauled to a landfill for use as cover material, the wire itself is then sold to customers as recycled material.

Shine Brothers is authorized by the state of Iowa to operate air emission source equipment through five construction permits. An aerial photograph of Shine Brothers, with annotated locations of the permitted equipment can be found in Attachment 4, Photograph #1.

Establishments involved as recyclable material merchant wholesalers have a Standard Industrial Classification (SIC) number 5093 and a North American Industrial Classification System (NAICS) number 423930.

OBSERVATIONS/FINDINGS

During the inspection, no visible emissions were observed leaving the site. Shine Brothers employs approximately 120 people and typically operates 24 hours per day, 6 days per week.

Throughout this document the following formatting conventions will be used. Regulatory citations will be in bold print, regulatory requirements will be in italics and the inspection findings will be in regular text.

The following are regulatory requirements of Shine Brothers, followed by the EPA findings and observations, based on the April 10, 2012, inspection.

Applicable Requirements:

Construction Permit number 98-A-914

October 22, 1998

Source: Dry Chemical Storage Silo (EP-01)

Control Equipment: Baghouse (Belle Style Dust House)

Compliance Testing Requirements: PM₁₀, Opacity

Operating Limits:

Shine Brothers Corporation is limited to 20% opacity except during a period of startup, shutdown, or cleaning of control equipment. The amount of chemical fed into the silo cannot exceed 50,000 pounds per hour.

Operating Condition Monitoring:

Operating condition monitoring is not required at this time.

Construction Permit number 98-A-914 can be found in Attachment 5. The Dry Chemical Storage silo houses a phosphate based chemical, used to bind metals found in wire insulation, before shipping the insulation to a landfill. Control equipment for EP-01 is a compact dust collector. The filter is checked periodically, and changed when necessary. The bag filter unit exhausts through a vent outside the building. I observed the vent outside the building and did not observe opacity associated with the vent.

The Construction Permit requires Shine Brothers to conduct performance tests for PM_{10} and opacity on EP-01. The required performance tests have not been conducted to date. Ms. Wolf (IDNR) told me that IDNR has recently required Shine Brothers to conduct stack tests, and that Shine Brothers is planning to submit new permit applications so that the permits accurately reflect on-site conditions.

Shine Brothers is not required to maintain records of the amount of chemical fed into the silo. However, Mr. Wycoff told me that Shine Brothers receives approximately 40,000 pounds of chemical every other month, or approximately 20,000 pounds per month. More accurate records can be obtained from Shine Brothers if necessary.

Construction Permit number 98-A-917

October 22, 1998

Source: Choppers and Pre-Shredder (EP-04)

Control Equipment: Baghouse and Cyclone

Compliance Testing Requirements: TSP, PM₁₀, Pb

Operating Limits:

Shine Brothers Corporation is limited to 20% opacity except during a period of startup, shutdown, or cleaning of control equipment. The rate of metal fed to the cyclone cannot exceed 1,798 pounds per hour.

Operating Condition Monitoring:

Operating condition monitoring is not required at this time.

Construction Permit number 98-A-917 can be found in Attachment 6. EP-04 is a wire chopper and preshredder for aluminum wire. According to Mr. Wycoff, a baghouse has never been associated with EP-04, control equipment is a cyclone only. Shine Brothers is limited to 20% opacity except during a period of startup, shutdown, or cleaning of control equipment. At the time of the inspection, EP-04 was operating, and I did not observe opacity associated with the cyclone stack.

The Construction Permit requires Shine Brothers to conduct performance tests for TSP, PM₁₀ and Pb. Shine Brothers conducted a successful Performance Test of PM₁₀ and TSP on September 22, 2011 (more than 10 years later than required by the Construction Permit). A Performance Test for Pb has not been conducted to date. Ms. Wolf (IDNR) told me that IDNR has recently required Shine Brothers to conduct stack tests, and that Shine Brothers is planning to submit new permit applications.

Shine Brothers is not required to maintain records of the rate of metal feed to the permitted cyclone. Mr. Wycoff told me that EP-04 is operating below the 1,798 lbs/hr feed rate, and that records can be obtained from Shine Brothers if necessary. Because maintenance of the records of the feed rate are not a permitted requirement, Mr. Wycoff and Ms. Shine believe these records, if requested, should be treated as Confidential Business Information.

Construction Permit number 98-A-918

October 22, 1998

Source:

Wire Chopping Process (EP-05)

Control Equipment:

Cyclone

Compliance Testing Requirements: TSP, PM_{10}

Operating Limits:

Shine Brothers Corporation is limited to 20% opacity except during a period of startup, shutdown, or cleaning of control equipment. The throughput of the wire chopping process cannot exceed 14,285.7 pounds per hour.

Operating Condition Monitoring:

Record the amount of material fed to the process every hour.

Construction Permit number 98-A-918 can be found in Attachment 7. EP-05 is used primarily to chop copper wire. Control equipment associated with EP-05 is not one cyclone, but two cyclones. According to Mr. Wycoff, at the time of permit issuance, one cyclone was installed. On August 16, 2006, Shine Brothers contacted IDNR (Des Moines) through CPI Environmental Services Inc., notifying IDNR that Shine Brothers intended to install a second cyclone in association with EP-04 (Attachment 8). Shine Brothers proposed to install a second cyclone to produce a higher quality product. As explained in the attached correspondence, Shine Brothers perceived the installation of a second cyclone as a modification exempt from construction permit application requirements, because the installation of a second cyclone would not increase the throughput of EP-05, and therefore would not increase emissions. IDNR Field Office #3 does not have a filed response from IDNR (Des Moines) to the request to install a second cyclone, nor do Shine Brothers.

Shine Brothers Corporation is limited to 20% opacity except during a period of startup, shutdown, or cleaning of control equipment. At the time of the inspection, EP-05 was operating, and I did not observe opacity from either stack. However, the area around the north cyclone, including the roof, was littered with debris (wire insulation, or fluff) that had exited the cyclone stack (see Photographs #2 and #3, Attachment 4). Considering the amount of debris in the area of the stack, and the proximity of the stack to the property line, it is reasonable to assume that airborne debris from the stack could leave the Shine Brothers property and deposit in the surrounding area. Mr. Wycoff said that some debris does exit the stack, for a few minutes, during periods of startup.

Photograph #4, Attachment 4, is a photograph of the loadout area for the southern cyclone of EP-05. The roll-off for the southern cyclone is housed in a building that is open to the west. In the photograph, airborne debris is clearly visible. I observed the building, with consideration of my position relative to the sun, and observed a slight opacity, but not an opacity that I would consider to be near 20%. I did not perform a Method 9 Visible Determination of Opacity Emissions. I suggested to Mr. Wycoff that enclosing the loadout building would reduce airborne emissions. The airborne debris observed could leave the Shine Brothers property and deposit in the surrounding area.

The Construction Permit requires Shine Brothers to conduct a performance test for TSP and PM₁₀ (the performance test is required for the permitted cyclone, any performance test requirements for the additional cyclone are unknown). Shine Brothers has not conducted a performance test on the cyclone. However, Ms. Wolf (IDNR) told me that the performance test conducted on EP-04 might satisfy the requirements for a performance test on EP-05. Shine Brothers is planning to submit new permit applications.

Shine Brothers is required to record the amount of material fed to the process every hour. Following the inspection, Mr. Wycoff submitted hourly throughput totals from January 1, 2011 through April 10, 2012 (Attachment 9). During this time period, based on the data provided by Shine Brothers, Shine Brothers did not exceed their permitted throughput limit of 14,285.7 pounds per hour.

Construction Permit number 73-A-32

February 1, 1973

Source:

300# Per Hour Class VI Incinerator With Pollution Abatement System

(EP-06)

Control Equipment:

Afterburners

Compliance Testing Requirements: No Compliance Testing Requirements

Operating Limits:

Shine Brothers Corporation is limited to 40% opacity.

Operating Condition Monitoring:

Operating condition monitoring is not required at this time.

Construction Permit number 73-A-32 can be found in Attachment 10. EP-06 is permitted for the incineration of copper wire insulation. According to the Shine Brothers Storm Water Pollution

Prevention Plan, the incinerator is used to remove weather-proof tar coating from copper wire. The incinerator was not in operation at the time of the inspection. The incinerator afterburner temperature is set at 1700° F., although I do not know if the temperature readings are accurate. Mr. Wycoff believes the afterburner temperature setting was a factory setting. A performance test has not been required for the incinerator. Mr. Wycoff told me the incinerator runs approximately 25% of the time.

Construction Permit number 03-A-1295-S1

Modified October 21, 2005

Source: Shredder (EP-07)

Control Equipment: Cyclone

Compliance Testing Requirements: PM_{10} , Opacity

Operating Limits:

Shine Brothers Corporation is limited to 40% opacity. Exceedance of the indicator 10% will require the owner/operator to promptly investigate the emission unit and make corrections to operations or equipment associated with the equipment.

Operating Condition Monitoring:

Operating condition monitoring is not required at this time.

Construction Permit 03-A-1295-S1 can be found in Attachment 11. EP-07 is a 100 tons/hour shredder, used primarily to shred automotive parts and automobiles. A photograph of EP-07 and the control equipment can be found in Attachment 4, Photograph #5.

Emissions from EP-07 are limited to 40% opacity. I observed emissions from the EP-07 cyclone stack during the inspection, however, when viewed with consideration of my position relative to the sun, the emissions I observed were slight, far less than the 40% permitted opacity limit.

Additional Equipment:

During the inspection, we observed a wire chopper, in operation, that is not permitted by IDNR as an emission source. The wire chopper is located outside, southeast of EP-04, and does not have control equipment (see Attachment 4, Photograph #1 for equipment location). Mr. Wycoff told me that the wire chopper has been used on-site for many years, and that he does not know if a construction permit was submitted to IDNR, or if a construction permit is necessary. Ms. Wolf (IDNR) said she would contact the Des Moines office for any additional information about this piece of equipment.

Additional Information:

Following the inspection, Mr. Green and I walked through the City park located adjacent to Shine Brothers Corporation, northeast of the facility. Throughout the park, especially in the areas closer to the Shine Brothers property line, we found fluff. In some areas, the fluff had been carried off of Shine Brothers property by stormwater. In other areas however, the fluff had been air borne, carried off of the Shine Brothers property as fugitive emissions or as stack emissions. The IDNR Spencer office has

responded to numerous citizen complaints of excess emissions and noise from the Shine Brothers facility. One incident, which occurred on or near July 10, 2011, when a cyclone separator within the facility apparently overflowed, caused shredder fluff material to disperse widely throughout the immediate neighborhood.

SUMMARY

I conducted an air compliance inspection at Shine Brothers Corporation, located in Spencer, Iowa.

Shine Brothers is subject to Federal and State air emission requirements.

The equipment associated with Construction Permits 98-A-914, 98-A-917 and 98-A-918 have not been performance tested as required by the Construction Permits. These performance tests requirements should be completed. The control equipment associated with Construction Permits 98-A-914, 98-A-917 and 98-A-918 is not the same as the control equipment used on-site. IDNR and Shine Brothers plan to review these Construction Permits to make the necessary permit modifications and complete the required performance tests.

A wire chopper was observed operating on-site that is not associated with any previously permitted equipment. If Shine Brothers has not applied for a Construction Permit for this piece of equipment, they should apply for a Construction Permit immediately.

I did not observe excess emissions from equipment, or fugitive emissions crossing the Shine Brothers property line. However, the debris I observed on and adjacent to the Shine Brothers property, especially near the control equipment stacks, came from the stacks, and could be carried across the property line onto adjacent properties. Efforts, including housekeeping, should be made to reduce the possibility of air borne particulate matter leaving the Shine Brothers' property.

Sean P. Bergin

Environmental Scientist

Date: 5/2/12

Attachments:


- 1. Multimedia Screening Checklist, 1 page.
- 2. Confidentiality Notice, 1 page.
- 3. Receipt for Documents and Samples, 1 page.
- 4. Photographs of Shine Brothers, 5 pages.
- 5. Construction Permit Number 98-A-914, 5 pages.
- 6. Construction Permit Number 98-A-917, 4 pages.
- 7. Construction Permit Number 98-A-918, 4 pages.
- 8. Request Modification of Construction Permit Number 98-A-918, 2 pages.
- 9. EP-05 Throughput Totals, 6 pages.
- 10. Construction Permit Number 73-A-32, 2 pages.
- 11. Construction Permit Number 03-A-1295-S1, 4 pages.



FORWARD TO: EJ D EPCRA / RMP / TSCA D CWA D Wetlands D UIC D PWS D CAA / CEC D	
REGION VII MULTIMEDIA SCREENING CHECKLIST	RCRA D UST D SPCC D
Facility Name: Scatter Corporation	
Street: F3 3 C 1 Inspector	
City:	
Phonoida and Inspector	Phone Ext.: 7-77
Number of Employees 160	1/10/12
VVOIK Hours/Shifts 7-5 p-11: Facility Cubicates	S Code 423930
Main facility activity, major process chemical(s) & description:	OSHA regulations Yes ☑ No ☐
Scrap and waste materia	Q_1
(Check all that apply) points /	
water treatment □ refrigeration □ water-based □, solvent-based □), printing □ reaction □	
(Check all that apply): painting/coating (water-based □, solvent-based □), printing □, reacting □, formulating water treatment □, refrigeration □, manufacturing □, parts washers/degreasing (water-based ☑, halogenated-based □), combustion (boiler, furnaces, oxidizers) □ plating (chrome □, other	I, distilling [],
LIVIRUNMENTAL INSTICE / No.	priv Links
ENVIRONMENTAL JUSTICE (Note: Forward to EJ if a concern is identified during your inspection) 1. Is the facility located in an <u>apparent</u> low income area (e.g., with many abandoned and dilapidated properties)? If yes, is facility less then 1000 feet from nearest routinely occupied property (house, as in the concern is identified during your inspection).	
If yes, is facility less then 1000 feet from pearest routinely assert in abandoned and dilapidated properties)?	No 🖼 (ata-)
If yes, is facility less then 1000 feet from nearest routinely occupied property (house, school, etc.)? No S (stop)	Yes T Formatt -
EMERGENCY PLANNING & COMMUNITY RIGHT TO KNOW ACT (EPCRA) & TOXIC SUBSTANCE CONTROL At 2. Did facility file a Tier II report with fire department, Local & State Emergency Planning Committee? Yes Did facility manufacture, import, or process (formulate blood).	ronward to EJ
1. Did facility file a Tier II report with fire department, Local & State Emergency Planning Committee? Yes No E Toxin (lead, mercury, or polycyclic argumetic exercises).	CT (TSCA)
Toxin (lead manufacture, import, or process (formulate, blend, package) >25 000 lbs of a sky size of	Forward to EPCRA
by the state of th	'ersistent Bioaccumulative
3. Has the facility: If any box in question 3 is marked - Forward to EPCRA a. Stored ≥500 lbs of ammonia □ >100 lb.	Forward to EPCRA
b. Stored ≥10,000 lbs of propagation of an industrial chemical □, or ≥10,000 lbs of an industrial chemical □.	
a. Stored ≥500 lbs of ammonia □, ≥100 lbs of chlorine □, or ≥10,000 lbs of an industrial chemical □, at any time of the last calendar year? □ d. Generated ≥ one half pound of metal due to the second state of the second state	over the last 2 years? □ output Description:
over the last calendar year?	er the last 2 years?
d. Generated ≥ one half pound of metal dusts, fumes, or metal turnings, over the last calendar year? 4. Does the facility have any oil filled electrical equipment. No 180 (stop). Year II 5.	ے, or nitrated compound,
4. Does the facility have any oil filled electrical equipment. No (Stop.) Yes (Stop.) Yes (Stop.) Forward to TSCA and ask. Has face equipment tested Is equipment leaking (including PCBs greater than 50 ppm.	Programme and the second
	ility tested oil filed
CLEAN WATER ACT (CWA) - National Pollution Discharge Elimination System (NPDES), Industrial Pretreatment, 1. Does the facility discharge any wastewater to storm sewers, surface water, or the land? No (stop) Yes (- Get Photo
1. Does the facility discharge any wastewater to storm sewers, surface water, or the land? No (stop) Yes (Storm Water 9 181 41
If yes, are all wastewater discharges permitted? Yes \(\subsection \) No \(\subsection \) Yes \(\subsection \) 2. Does the facility have process wastewaters that are discharged to CWA	water, & Wetlands
2. Does the facility have process wastewaters that are discharged to a city POTW (Publicly Owned Treatment Works)? If yes, does the city have a state or EPA approved to the city of the city have a state or EPA approved to the city have a sta	
If yes, are the discharges permitted by: State?	No 29 (stop) Yes 🗇
If yes, does the city have a state or EPA approved pretreatment program? Yes \(No or Don't Know \sqrt{No or	
B. During rainfall events, can storm water carry pollutants from manufacturing, processing, storage, disposal, shipping and lif yes, does the facility have an NPDES permit for those storage.	rd to CWA
construction sites >1 acre, to storm sewers or surface water? No □ (stop) Yes ☑	freceiving areas, or from
Did you see any wastewater discharges patient to these storm water discharges? Yes 🗭 No 🗆 Source Land	
T (SI) = Mentity least = "	VA .
Does the facility have any wetland areas (e.g. streams, ponds, or temporarily wet areas)? No (stop) Yes (appearance of discharge:
If yes, have any wetland areas been dredged, filled channelized descriptions wet areas)? No 🐱 (stop) Yes 🗆	oto) Forward to CWA
If yes, have any wetland areas (e.g. streams, ponds, or temporarily wet areas)? No ☑ (stop) Yes ☐ No ☐ (stop) Yes ☐ - Identify location and timeframe	e last 5 veare?
(Get Ph	oto) FWD to Wetlands

SAFE DRINKING WATER ACT (SDWA) - Underground Injection Control (UIC) & Public Water System (PWS) 1. Does facility discharge any liquids to the subsurface (septic systems, disposal wells, cesspools, etc.)? No (Stop) Yes (Forward to UIC)
If yes, do these liquid wastes consist of sanitary wastewater only? Yes \(\sqrt{No} \)
2. Does facility provide drinking water to 25 people or more from its own source (private well, pond, etc)? No ☑ (stop) Yes ☐ Forward to PWS If yes, does the facility test or monitor its drinking water in order to comply with state regulations? Yes ☐ No ☐
CLEAN AIR ACT (CAA) and CFCs
1. Do you see any dense, non-steam, smoke or dust emissions leaving the facility property? No 📮 Yes 🗆 Forward to CAA Source(Get Photo)
2. Does the facility have any new air pollution emitting equipment that was constructed or installed in the past 5 years? No (stop) Yes I If yes, is equipment permitted? Yes No I Forward to CAA Describe: Sheet 2001
3. Does the facility have any cooling units that contain >50 lbs of refrigerant? No 🗵 (stop) Yes 🗆 Forward to CFC If yes, are these units: Self-serviced? 🗆 Contract Serviced? 🗅 - Service Company:
4. Does the facility have a refrigeration process that contains more than 10,000 lbs of ammonia ? No □ (stop) Yes □ Forward to EPCRA/RMP
5. Does the facility service motor vehicle air conditioning systems? No □ (stop) Yes □ Forward to CFC
RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) and UNDERGROUND STORAGE TANKS (UST)
1. Does the facility generate more than 30-gallons (220 lbs./100kg) of hazardous waste per month or at any one time? No ☑ (stop) Yes ☐ If yes, does facility have an EPA Hazardous Waste Identification Number? Yes ☐ (stop) No ☐ Forward to RCRA
2. Is hazardous waste treated □ , stored >90-days □, burned □ , land filled □ , put in surface impoundments □ or waste piles □ ? No □ (stop) Yes □ If yes, is the facility permitted for above described activity? Yes □ No □ Forward to RCRA
3. Did you see or does the facility have any large quantities of materials that the facility claims to be non-hazardous waste material (>10 drums,
roll-offs, waste piles, etc. – exclude clean office trash, cardboard, & packaging type wastes)? No □ (stop) Yes □
Material Claimed To Be Non-Hazardous How does the facility know these wastes are non-hazardous?
Testing, industry or manuf. info, MSDS, etc. □; None available □ Forward to RCRA
Testing, industry or manuf. info, MSDS, etc. □; None available □ Forward to RCRA
Testing, industry or manuf. info, MSDS, etc. □; None available □ Forward to RCRA
Testing, industry or manuf. info, MSDS, etc. □; None available □ Forward to RCRA
Testing, industry or manuf. info, MSDS, etc. □; None available □ Forward to RCRA
4. Did you see any leaking hazardous waste containers, drums, or tanks? No 🖸 Yes 🗆 Forward to RCRA Describe: (Get Photo)
5. Did you see any signs of spills or releases (e.g., dead or stressed vegetation, stains, discoloration)? No See The Secretary Yes Secretary Forward to RCRA (Get Photo)
6. Did you see any chemical or waste handling practices that concern you (access to children/public)? No 🗗 Yes 🗆 Forward to RCRA & EPCRA Describe:
7. Does the facility have any past or present underground petroleum product or hazardous material tanks? No 🖸 Yes 🗆 Forward to UST
8. Does the facility have any underground fuel tanks for emergency generators? No 🗹 Yes 🗆 Forward to UST
SPILL PREVENTION CONTROL AND COUNTERMEASURE PLAN (SPCC) 1. Does the facility have any aboveground oil tanks (petroleum, synthetic, animal, fish, vegetable), with an aggregate volume >1,320 gallons? No (stop) Yes - Does the facility have a certified SPCC Plan? Yes No Forward to SPCC If yes, are there secondary containment systems for the tanks? Yes No Forward to SPCC If yes, are any tanks leaking where oil could reach waters of the State or U.S.? No Yes (Get Photo) Forward to SPCC
ENVIRONMENTAL MANAGEMENT SYSTEMS (EMS)
1. Does your facility have an EMS? No ☑ Yes □
1. Does your racility have an EMS? No ☑ Yes ☐ 2. Is the facility's EMS ISO 14001 certified? No ☑ Yes ☐
A DI TANE TANE DI OTOS TO DOCUMENT DOTENTAL DOCUMENT


* PLEASE TAKE PHOTOS TO DOCUMENT POTENTIAL PROBLEMS



H


UNITED STATES ENVIRONMENTAL PROTECTION AGENCY CONFIDENTIALITY NOTICE

Facility Name
Shine Brothers Corp. Facility Address
528 E. Park St. Spencer 1A 51301
Inspector (print)
PETER M GREEN
U.S. EPA, Region VII, 901 N. 5th St., Kansas City, KS 66101 Date 04/10/2012
 The United States Environmental Protection Agency (EPA) is obligated, under the Freedom of Information Act, to release information collected during inspections to persons who submit requests for that information. The Freedom of Information Act does, however, have provisions that allow EPA to withhold certain confidential business information from public disclosure. To claim protection for information gathered during this inspection you must request that the information be held CONFIDENTIAL and substantiate your claim in writing by demonstrating that the information meets the requirements in 40 CFR 2, Subpart B. The following criteria in Subpart B must be met: Your company has taken measures to protect the confidentiality of the information, and it intends to continue to take such measures. No statute specifically requires disclosure of the information. Disclosure of the information would cause substantial harm to your company's competitive position. Information that you claim confidential will be held as such pending a determination of applicability by EPA.
I have received this Notice and <u>DO NOT</u> want to make a claim of confidentiality at this time.
Facility Representative Provided Notice (print) AKR W./(off M.W.//(off M.W.//(off) Signature/Date M.W.//(off)
——————————————————————————————————————
I have received this Notice and <u>DO</u> want to make a claim of confidentiality.
Facility Representative Provided Notice (print) Signature/Date
Information for which confidential treatment is requested;




UNITED STATES ENVIRONMENTAL PROTECTION AGENCY RECEIPT FOR DOCUMENTS AND SAMPLES


Facility Name
SHINE BROTHERS CORP. Facility Address
528 E. PARK ST. STENCER, 1A 51301
Documents Collected? YES (list below) NO
Samples Collected? YES (list below) NO Split Samples: YES NO
Documents/Samples were: 1)Received no charge 2)Borrowed 3)Purchased
Amount Paid: \$ Method: Cash Voucher To Be Billed
The documents and samples described below were collected in connection with the administration and enforcement of the applicable statute under which the information is obtained.
Receipt for the document(s) and/or sample(s) described below is hereby acknowledged:
FIG. 28 FACILITY MAP From SPCC Plan
GUIDELINES FOR SCRAD MATERIALS, CARS & TANKS (30.)
GEN. SAFETY INFORMATION EMPLOYEE TRAINING (12 P.)
SAMPLE TRAINING CERTIFICATION
SAMPLE OF DEBRIS (Fluff From wire chapper) from ground
between new pedestal grade bldg + E. chiep bldg. +10.
Air pasent moderation request (EP-DS) (ZAS.)
Documents to be provided electronically:
SWPPP Plan
Short and Ex-OS thought estimates
Facility Representative (print) Signature/Date
Mike Wycoff gman 4/10/H
Inspector (print) // Signature/Date
Peter M Green Atterm Sheen 04/10/2012
U.S. EPA, Region VII, 901 N. 5th Street, Kansas City, KS 66101
(CAVE 1 / 20 / 03)



2 3		




* *	



Photograph #2. Entrance to the north cyclone area of EP-05. Deposited emissions from the cyclone can be seen on the concrete slab.

. . . .



Photograph #3. Closer view of deposited stack emissions, found in the same area as Photograph #2.




Photograph #4. The loadout area of the south cyclone, EP-05. Airborne debris can be observed leaving The structure.

.



Photograph #5. Aerial view of EP-07, and control equipment (photograph obtained from Shine Brothers, http://www.shinebros.com/).



· ·

Iowa Department of Natural Resources Construction Permit For Air Emission Source

Permit Holder

Firm: Shine Brothers Corporation

Responsible Party:

Contact:

Mr. Greg Vaughn

Same

General Manager

Same

(712) 262-5579 P.O. Box 737

Same Same

Spencer, IA 51301

Same

Source

Source:

Dry Chemical Storage Silo (EP #1)

Control Equipment:

Baghouse (Belle Style Dust House)

Location:

528 East Park Street, Spencer, IA 51301

Plant Number: 21-01-010

Project Number: 98-459

This equipment has been evaluated for conformance with rule(s) 567 IAC Chapters 20-31 of the Department of Natural Resources (DNR) and found to have the potential to comply.

Under the Direction of the Director of the Department of Natural Resources.

October 22, 1998 98-A-914

Date

Original Permit Number

Amendment

Description

Date

Permit Number

PERMIT CONDITIONS

The owner or operator of the facility shall assure that the installation, operation, and maintenance of this facility is in compliance with all of the following conditions.

1. Departmental Review

This permit is issued based on information submitted by the applicant. Any misinformation, false statements or misrepresentations by the applicant shall cause this permit to be void. In addition, the applicant may be subject to criminal penalties according to the lowa Code Section 455B.146A.

This permit is issued under the authority of 567 lowa Administrative Code (IAC) 22.3. The proposed equipment has been evaluated for conformance with lowa Code Chapter 455B; 567 IAC Chapters 20-30; and 40 CFR Part 60 and has the potential to comply.

No review has been undertaken on the engineering aspects of the equipment or control equipment other than the potential of that equipment for reducing air contaminant emissions.

The DNR assumes no liability, directly or indirectly, for any loss due to damage to persons or property caused by, resulting from, or arising out of the design, installation, maintenance or operation of the proposed equipment.

2. Construction

This permit shall become void if construction of the proposed project has not been initiated within eighteen (18) months after the date of the issuance of this permit and completed within thirty-six (36) months after issuance of this permit.

It is the owner's responsibility to ensure that construction conforms to the plans and specifications and that adequate operation and maintenance is provided to ensure that no condition of air pollution is created. If changes in the final plans and specifications are proposed by the owner after a construction permit has been issued, a supplemental permit shall be obtained.

3. Transferability

As required by 567 IAC 22.3(3)"f", this permit is not transferable from the source or control equipment specified on Page 1, or from one location to another, unless the equipment is portable. When portable equipment for which a permit has been issued is to be transferred from one location to another, the DNR shall be notified in writing at least thirty (30) days prior to transferring to the new location. The owner will be notified at least ten (10) days prior to the scheduled relocation if the relocation will cause a violation of the National Ambient Air Quality Standards. In such case, a supplemental permit shall be required prior to the initiation of construction of additional control equipment or equipment modifications needed to meet the standards.

3. Transferability (continued)

This permit is for the construction and operation of the specific source, equipment or control equipment described in this permit and in the application for this permit. Any owner or operator of the specified source or control equipment, including any person who becomes an owner or operator subsequent to the date on which this permit is issued, is responsible to comply with the provisions of this permit. No person shall construct, install, reconstruct or alter this equipment or control equipment without the required revisions to this permit.

4. Owner Responsibility

Issuance of this permit shall not relieve the owner or operator of the responsibility to comply fully with applicable provisions of the State Implementation Plan (SIP) and any other requirements of local, state, and federal law.

The owner or operator of any air emission source or control equipment shall maintain and operate the equipment and control equipment at all times in a manner consistent with good practice for minimizing emissions.

5. Disposal of Contaminants

The disposal of materials collected by the control equipment shall meet all applicable rules.

6. Excess Emissions

Excess emissions during a period of startup, shutdown, or cleaning of control equipment is not a violation of the emission standard if it is accomplished expeditiously and in a manner consistent with good practice for minimizing emissions. Cleaning of control equipment which does not require the shutdown of the process equipment shall be limited to one sixminute period per one-hour period. An incident of excess emissions other than the above is a violation and may be subject to criminal penalties according to lowa Code 455B.146A. If excess emissions are occurring, either the control equipment causing the excess shall be repaired in an expeditious manner or the process generating the emissions shall be shutdown within a reasonable period of time as specified in 567 IAC 24.1.

7. Notification, Reporting and Record keeping

- A. The owner shall furnish the DNR the following written notifications:
 - (1) The date construction, installation, or alteration is initiated postmarked within seven (7) days following initiation of construction, installation, or alteration.
 - (2) The date of intended startup at least ten (10) days before the equipment or control equipment involved is placed into operation.

- (3) The actual date of startup postmarked within fifteen (15) days following the start of operation.
- (4) The date of each compliance test required by Permit Condition 10 at least thirty (30) days before the anticipated compliance test date.
- (5) The date of each pretest meeting at least fifteen (15) days before the proposed meeting date. The owner shall request a proposed test plan protocol questionnaire at least sixty (60) days prior to each compliance test date. The completed questionnaire shall be received by the DNR at least fifteen (15) days before the pretest meeting date.
- (6) Transfer of equipment ownership within 30 days of the occurrence.
- (7) Portable equipment relocation at least thirty (30) days before equipment relocation.
- B. The owner shall furnish the DNR with the following reports:
 - (1) Oral excess emissions in accordance with 567 IAC 24.1.
 - (2) Written
 - a. A written compliance demonstration report for each compliance testing event, whether successful or not, postmarked not later than forty-five (45) days after the completion of the test period.
 - b. Operation of this source outside of those limits specified in Permit Conditions 9 and 12, and according to the time limits set forth in 567 IAC 24.1.
- C. The owner shall send all notifications, reports and correspondence to:

Mr. Peter Hamlin, Chief Air Quality Bureau Iowa Department of Natural Resources 7900 Hickman Road, Suite 1 Urbandale, IA 50322

D. The owner shall send correspondence concerning stack testing to:

Mr. Mark Stone Telephone: (515) 242-6001
Air Quality Bureau
Iowa Department of Natural Resources
7900 Hickman Road, Suite 1
Urbandale, IA 50322

E. All data, records, reports, documentation, construction plans, and calculations required under this permit shall be available at the plant during normal business hours for inspection and copying by federal, state, or local air pollution regulatory agencies and their authorized representatives for a minimum of three (3) years from the date of recording.

8. Permit Violations

Knowingly committing a violation of this permit may carry a criminal penalty of up to \$10,000 per day fine and 2 years in jail according to lowa Code Section 455B.146A.

9. Emission Limits

	lb/hr		tons/year	Concentration
Total Particulate (TSP)	N/A	172	N/A	0.1 gr/scf ¹
PM ₁₀ *	0.20^{3}		N/A	N/A
Opacity	N/A		N/A	20%²
Sulfur Dioxide (SO ₂)	N/A		N/A	N/A
Nitrogen Oxides (NO _x)	N/A		N/A	N/A
Volatile Organic Compounds (VOC)	N/A		N/A	N/A
Carbon Monoxide (CO)	N/A		N/A	N/A
Lead (Pb)	N/A		N/A	N/A

N/A = Not Applicable

10. Compliance Testing Requirements

	Testing Required	Test Method
TSP	No	Method 5, 40 CFR 60
PM ₁₀	Yes	201A with 202, 40 CFR 51*
Opacity	Yes	Method 9, 40 CFR 60
SO ₂	No	Method 6C, 40 CFR 60*
NO _x	No	Method 7E, 40 CFR 60*
VOC	No	Method 25A, 40 CFR 60**
CO	No	Method 10, 40 CFR 60*
Pb	No	Method 12, 40 CFR 60***

^{*} or approved alternative

^{*} particulate matter having an aerodynamic diameter of ten (10) microns or less.

¹ 567 IAC 23.3(2)a

² 567 IAC 23.3(2)d

³ Limit based on air dispersion modeling of the facility.

^{**} For total hydrocarbons only; for high concentrations use Method 25B

^{***} For all metals together use Method 29

10. Compliance Testing Requirements (continued)

If specified above, the owner shall verify compliance with the emission limitations contained in Permit Condition 9 within sixty (60) days after achieving maximum production rate and no later than one hundred eighty (180) days after the initial startup date of the proposed equipment.

The tests shall be conducted with the equipment operating in a manner representative of full rated capacity. Failure to test at this maximum may be cause to limit the source to operating at the level at which the compliance tests were conducted.

The following shall apply to all compliance tests:

- A. Each test to be conducted shall be approved by the DNR.
- B. Unless otherwise specified by the DNR, each test shall consist of three (3) separate runs. The duration shall be established by the DNR at the pretest meeting. The arithmetic mean of the three acceptable test runs shall apply for compliance, unless otherwise approved by the DNR.

A pretest meeting shall be held at a mutually agreeable site no less than fifteen (15) days prior to the date of each test. Each meeting shall be attended by representatives of the DNR, the owner, and the testing firm, if any. It is the responsibility of the owner to coordinate and schedule each meeting.

The DNR reserves the right to impose additional, different, or more detailed testing requirements. It shall be the responsibility of the owner to install the test ports.

11. Source Emission Characteristics

The emission unit shall be connected to the stack designated below.

Stack	Height	Diameter	Temperature	Flowrate
EP #1	26' 10"	3" X 20"	70 °F	1,000 acfm

NOTE: Stack must have an unobstructed, vertical discharge.

12. Operating Limits

A. The amount of chemical fed into the silo cannot exceed 50,000 pounds per hour.

13. Operating Condition Monitoring

Operating condition monitoring is not required at this time.

14. Continuous Emission Monitoring

Continuous emission monitoring shall not be required at this time.

15. Definitions

Applicant The owner, company official or authorized agent

CFR Code of Federal Regulations

Department Iowa Department of Natural Resources

IAC Iowa Administrative Code

DNR lowa Department of Natural Resources
NAAQS National Ambient Air Quality Standards
Owner The owner or authorized representative

Permit The permit document including the permit conditions

SIP State Implementation Plan gr/scf Grains per standard cubic foot scfm Standard cubic feet per minute

END OF PERMIT CONDITIONS

Vis. Construeus transaces Marrestim

definitions are trained as a contract to the reduced of the training.

sendouthed At

The control of the co

LINE TERMES STREET TO SHEET

vite of



			e.			

Iowa Department of Natural Resources Construction Permit For Air Emission Source

Permit Holder

Firm: Shine Brothers Corporation

Responsible Party:

Contact:

Mr. Greg Vaughn General Manager

Same Same

(712) 262-5579

Same Same

P.O. Box 737 Spencer, IA 51301

Same

Source

Source:

Choppers and Pre-Shredder (EP #4)

Control Equipment:

Cyclone and Baghouse

Location:

528 East Park Street, Spencer, IA 51301

Plant Number: 21-01-010

Project Number: 98-459

This equipment has been evaluated for conformance with rule(s) 567 IAC Chapters 20-31 of the Department of Natural Resources (DNR) and found to have the potential to comply.

October 22, 1998

98-A-917

the Department of Natural Resources.

Date

Original Permit Number

Amendment

Description

Date

Permit Number

PERMIT CONDITIONS

The owner or operator of the facility shall assure that the installation, operation, and maintenance of this facility is in compliance with all of the following conditions.

1. Departmental Review

This permit is issued based on information submitted by the applicant. Any misinformation, false statements or misrepresentations by the applicant shall cause this permit to be void. In addition, the applicant may be subject to criminal penalties according to the lowa Code Section 455B.146A.

This permit is issued under the authority of 567 lowa Administrative Code (IAC) 22.3. The proposed equipment has been evaluated for conformance with lowa Code Chapter 455B; 567 IAC Chapters 20-30; and 40 CFR Part 60 and has the potential to comply.

No review has been undertaken on the engineering aspects of the equipment or control equipment other than the potential of that equipment for reducing air contaminant emissions.

The DNR assumes no liability, directly or indirectly, for any loss due to damage to persons or property caused by, resulting from, or arising out of the design, installation, maintenance or operation of the proposed equipment.

2. Construction

This permit shall become void if construction of the proposed project has not been initiated within eighteen (18) months after the date of the issuance of this permit and completed within thirty-six (36) months after issuance of this permit.

It is the owner's responsibility to ensure that construction conforms to the plans and specifications and that adequate operation and maintenance is provided to ensure that no condition of air pollution is created. If changes in the final plans and specifications are proposed by the owner after a construction permit has been issued, a supplemental permit shall be obtained.

3. Transferability

As required by 567 IAC 22.3(3)"f", this permit is not transferable from the source or control equipment specified on Page 1, or from one location to another, unless the equipment is portable. When portable equipment for which a permit has been issued is to be transferred from one location to another, the DNR shall be notified in writing at least thirty (30) days prior to transferring to the new location. The owner will be notified at least ten (10) days prior to the scheduled relocation if the relocation will cause a violation of the National Ambient Air Quality Standards. In such case, a supplemental permit shall be required prior to the initiation of construction of additional control equipment or equipment modifications needed to meet the standards.

3. Transferability (continued)

This permit is for the construction and operation of the specific source, equipment or control equipment described in this permit and in the application for this permit. Any owner or operator of the specified source or control equipment, including any person who becomes an owner or operator subsequent to the date on which this permit is issued, is responsible to comply with the provisions of this permit. No person shall construct, install, reconstruct or alter this equipment or control equipment without the required revisions to this permit.

4. Owner Responsibility

Issuance of this permit shall not relieve the owner or operator of the responsibility to comply fully with applicable provisions of the State Implementation Plan (SIP) and any other requirements of local, state, and federal law.

The owner or operator of any air emission source or control equipment shall maintain and operate the equipment and control equipment at all times in a manner consistent with good practice for minimizing emissions.

5. Disposal of Contaminants

The disposal of materials collected by the control equipment shall meet all applicable rules.

6. Excess Emissions

Excess emissions during a period of startup, shutdown, or cleaning of control equipment is not a violation of the emission standard if it is accomplished expeditiously and in a manner consistent with good practice for minimizing emissions. Cleaning of control equipment which does not require the shutdown of the process equipment shall be limited to one sixminute period per one-hour period. An incident of excess emissions other than the above is a violation and may be subject to criminal penalties according to lowa Code 455B.146A. If excess emissions are occurring, either the control equipment causing the excess shall be repaired in an expeditious manner or the process generating the emissions shall be shutdown within a reasonable period of time as specified in 567 IAC 24.1.

7. Notification, Reporting and Record keeping

- A. The owner shall furnish the DNR the following written notifications:
 - (1) The date construction, installation, or alteration is initiated postmarked within seven (7) days following initiation of construction, installation, or alteration.
 - (2) The date of intended startup at least ten (10) days before the equipment or control equipment involved is placed into operation.

- (3) The actual date of startup postmarked within fifteen (15) days following the start of operation.
- (4) The date of each compliance test required by Permit Condition 10 at least thirty (30) days before the anticipated compliance test date.
- (5) The date of each pretest meeting at least fifteen (15) days before the proposed meeting date. The owner shall request a proposed test plan protocol questionnaire at least sixty (60) days prior to each compliance test date. The completed questionnaire shall be received by the DNR at least fifteen (15) days before the pretest meeting date.
- (6) Transfer of equipment ownership within 30 days of the occurrence.
- (7) Portable equipment relocation at least thirty (30) days before equipment relocation.
- B. The owner shall furnish the DNR with the following reports:
 - (1) Oral excess emissions in accordance with 567 IAC 24.1.
 - (2) Written
 - a. A written compliance demonstration report for each compliance testing event, whether successful or not, postmarked not later than forty-five (45) days after the completion of the test period.
 - b. Operation of this source outside of those limits specified in Permit Conditions 9 and 12, and according to the time limits set forth in 567 IAC 24.1.
- C. The owner shall send all notifications, reports and correspondence to:

Mr. Peter Hamlin, Chief Air Quality Bureau Iowa Department of Natural Resources 7900 Hickman Road, Suite 1 Urbandale, IA 50322

D. The owner shall send correspondence concerning stack testing to:

Mr. Mark Stone Telephone: (515) 242-6001 Air Quality Bureau Iowa Department of Natural Resources 7900 Hickman Road, Suite 1 Urbandale, IA 50322

E. All data, records, reports, documentation, construction plans, and calculations required under this permit shall be available at the plant during normal business hours for inspection and copying by federal, state, or local air pollution regulatory agencies and their authorized representatives for a minimum of three (3) years from the date of recording.

8. Permit Violations

Knowingly committing a violation of this permit may carry a criminal penalty of up to \$10,000 per day fine and 2 years in jail according to lowa Code Section 455B.146A.

9. Emission Limits

	lb/hr	tons/year	Concentration
Total Particulate (TSP)	N/A	N/A	0.1 gr/scf ¹
PM ₁₀ *	1.2 ³	N/A	N/A
Opacity	N/A	N/A	20% ²
Sulfur Dioxide (SO ₂)	N/A	N/A	N/A
Nitrogen Oxides (NO _x)	N/A	N/A	N/A
Volatile Organic Compounds (VOC)	N/A	N/A	N/A
Carbon Monoxide (CO)	N/A	N/A	N/A
Lead (Pb)	0.023^3	N/A	N/A

N/A = Not Applicable

10. Compliance Testing Requirements

	Testing Required	Test Method
TSP	Yes ¹	Method 5, 40 CFR 60
PM_{10}	Yes ¹	201A with 202, 40 CFR 51*
Opacity	No	Method 9, 40 CFR 60
SO ₂	No	Method 6C, 40 CFR 60*
NO _x	No	Method 7E, 40 CFR 60*
VOC	No	Method 25A, 40 CFR 60**
CO	No	Method 10, 40 CFR 60*
Pb	Yes	Method 12, 40 CFR 60***

^{*} or approved alternative

^{*} particulate matter having an aerodynamic diameter of ten (10) microns or less.

¹ 567 IAC 23.3(2)a

² 567 IAC 23.3(2)d

³ Limit based on air dispersion modeling of the facility.

^{**} For total hydrocarbons only; for high concentrations use Method 25B

^{***} For all metals together use Method 29

¹ Test Method 201A with 202, provided that the front half is included with the analysis, will satisfy the testing requirement of TSP.

10. Compliance Testing Requirements (continued)

If specified above, the owner shall verify compliance with the emission limitations contained in Permit Condition 9 within sixty (60) days after achieving maximum production rate and no later than one hundred eighty (180) days after the initial startup date of the proposed equipment.

The tests shall be conducted with the equipment operating in a manner representative of full rated capacity. Failure to test at this maximum may be cause to limit the source to operating at the level at which the compliance tests were conducted.

The following shall apply to all compliance tests:

- A. Each test to be conducted shall be approved by the DNR.
- B. Unless otherwise specified by the DNR, each test shall consist of three (3) separate runs. The duration shall be established by the DNR at the pretest meeting. The arithmetic mean of the three acceptable test runs shall apply for compliance, unless otherwise approved by the DNR.

A pretest meeting shall be held at a mutually agreeable site no less than fifteen (15) days prior to the date of each test. Each meeting shall be attended by representatives of the DNR, the owner, and the testing firm, if any. It is the responsibility of the owner to coordinate and schedule each meeting.

The DNR reserves the right to impose additional, different, or more detailed testing requirements. It shall be the responsibility of the owner to install the test ports.

11. Source Emission Characteristics

The emission unit shall be connected to the stack designated below.

 Stack
 Height
 Diameter
 Temperature
 Flowrate

 EP #4
 30′ 10³/₁₆″
 16¹/₂″ X 15³/₄″
 70 °F
 14,000 acfm

NOTE: Stack must have an unobstructed, vertical discharge.

12. Operating Limits

A. The rate of metal fed to the cyclone cannot exceed 1,798 pounds per hour.

13. Operating Condition Monitoring

Operating condition monitoring is not required at this time.

14. Continuous Emission Monitoring

Continuous emission monitoring shall not be required at this time.

15. Definitions

Applicant The owner, company official or authorized agent

CFR Code of Federal Regulations

Department Iowa Department of Natural Resources

IAC lowa Administrative Code


DNR lowa Department of Natural Resources
NAAQS National Ambient Air Quality Standards
Owner The owner or authorized representative

Permit The permit document including the permit conditions

SIP State Implementation Plan gr/scf Grains per standard cubic foot scfm Standard cubic feet per minute

END OF PERMIT CONDITIONS

Security - Edition - Company



Iowa Department of Natural Resources Construction Permit For Air Emission Source

Permit Holder

Firm: Shine Brothers Corporation

Responsible Party:

Contact:

Mr. Greg Vaughn General Manager Same Same

(712) 262-5579 P.O. Box 737 Same Same

Spencer, IA 51301

Same

Source

Source:

Wire Chopping Process (EP #5)

Control Equipment:

Cyclone

Location:

528 East Park Street, Spencer, IA 51301

Plant Number: 21-01-010

Project Number: 98-459

This equipment has been evaluated for conformance with rule(s) 567 IAC Chapters 20-31 of the Department of Natural Resources (DNR) and found to have the potential to comply.

Under the Direction of the Director of the Department of Natural Resources.

October 22, 1998 98-A-918

Date

Original Permit Number

Amendment

Description

Date

Permit Number

PERMIT CONDITIONS

The owner or operator of the facility shall assure that the installation, operation, and maintenance of this facility is in compliance with all of the following conditions.

1. Departmental Review

This permit is issued based on information submitted by the applicant. Any misinformation, false statements or misrepresentations by the applicant shall cause this permit to be void. In addition, the applicant may be subject to criminal penalties according to the lowa Code Section 455B.146A.

This permit is issued under the authority of 567 lowa Administrative Code (IAC) 22.3. The proposed equipment has been evaluated for conformance with lowa Code Chapter 455B; 567 IAC Chapters 20-30; and 40 CFR Part 60 and has the potential to comply.

No review has been undertaken on the engineering aspects of the equipment or control equipment other than the potential of that equipment for reducing air contaminant emissions.

The DNR assumes no liability, directly or indirectly, for any loss due to damage to persons or property caused by, resulting from, or arising out of the design, installation, maintenance or operation of the proposed equipment.

2. Construction

This permit shall become void if construction of the proposed project has not been initiated within eighteen (18) months after the date of the issuance of this permit and completed within thirty-six (36) months after issuance of this permit.

It is the owner's responsibility to ensure that construction conforms to the plans and specifications and that adequate operation and maintenance is provided to ensure that no condition of air pollution is created. If changes in the final plans and specifications are proposed by the owner after a construction permit has been issued, a supplemental permit shall be obtained.

3. Transferability

As required by 567 IAC 22.3(3)"f", this permit is not transferable from the source or control equipment specified on Page 1, or from one location to another, unless the equipment is portable. When portable equipment for which a permit has been issued is to be transferred from one location to another, the DNR shall be notified in writing at least thirty (30) days prior to transferring to the new location. The owner will be notified at least ten (10) days prior to the scheduled relocation if the relocation will cause a violation of the National Ambient Air Quality Standards. In such case, a supplemental permit shall be required prior to the initiation of construction of additional control equipment or equipment modifications needed to meet the standards.

3. Transferability (continued)

This permit is for the construction and operation of the specific source, equipment or control equipment described in this permit and in the application for this permit. Any owner or operator of the specified source or control equipment, including any person who becomes an owner or operator subsequent to the date on which this permit is issued, is responsible to comply with the provisions of this permit. No person shall construct, install, reconstruct or alter this equipment or control equipment without the required revisions to this permit.

4. Owner Responsibility

Issuance of this permit shall not relieve the owner or operator of the responsibility to comply fully with applicable provisions of the State Implementation Plan (SIP) and any other requirements of local, state, and federal law.

The owner or operator of any air emission source or control equipment shall maintain and operate the equipment and control equipment at all times in a manner consistent with good practice for minimizing emissions.

5. Disposal of Contaminants

The disposal of materials collected by the control equipment shall meet all applicable rules.

6. Excess Emissions

Excess emissions during a period of startup, shutdown, or cleaning of control equipment is not a violation of the emission standard if it is accomplished expeditiously and in a manner consistent with good practice for minimizing emissions. Cleaning of control equipment which does not require the shutdown of the process equipment shall be limited to one sixminute period per one-hour period. An incident of excess emissions other than the above is a violation and may be subject to criminal penalties according to lowa Code 455B.146A. If excess emissions are occurring, either the control equipment causing the excess shall be repaired in an expeditious manner or the process generating the emissions shall be shutdown within a reasonable period of time as specified in 567 IAC 24.1.

7. Notification, Reporting and Record keeping

- A. The owner shall furnish the DNR the following written notifications:
 - (1) The date construction, installation, or alteration is initiated postmarked within seven (7) days following initiation of construction, installation, or alteration.
 - (2) The date of intended startup at least ten (10) days before the equipment or control equipment involved is placed into operation.

- (3) The actual date of startup postmarked within fifteen (15) days following the start of operation.
- (4) The date of each compliance test required by Permit Condition 10 at least thirty (30) days before the anticipated compliance test date.
- (5) The date of each pretest meeting at least fifteen (15) days before the proposed meeting date. The owner shall request a proposed test plan protocol questionnaire at least sixty (60) days prior to each compliance test date. The completed questionnaire shall be received by the DNR at least fifteen (15) days before the pretest meeting date.
- (6) Transfer of equipment ownership within 30 days of the occurrence.
- (7) Portable equipment relocation at least thirty (30) days before equipment relocation.
- B. The owner shall furnish the DNR with the following reports:
 - (1) Oral excess emissions in accordance with 567 IAC 24.1.
 - (2) Written
 - a. A written compliance demonstration report for each compliance testing event, whether successful or not, postmarked not later than forty-five (45) days after the completion of the test period.
 - b. Operation of this source outside of those limits specified in Permit Conditions 9 and 12, and according to the time limits set forth in 567 IAC 24.1.
- C. The owner shall send all notifications, reports and correspondence to:

Mr. Peter Hamlin, Chief Air Quality Bureau Iowa Department of Natural Resources 7900 Hickman Road, Suite 1 Urbandale, IA 50322

D. The owner shall send correspondence concerning stack testing to:

Mr. Mark Stone Telephone: (515) 242-6001
Air Quality Bureau
lowa Department of Natural Resources
7900 Hickman Road, Suite 1
Urbandale, IA 50322

E. All data, records, reports, documentation, construction plans, and calculations required under this permit shall be available at the plant during normal business hours for inspection and copying by federal, state, or local air pollution regulatory agencies and their authorized representatives for a minimum of three (3) years from the date of recording.

8. Permit Violations

Knowingly committing a violation of this permit may carry a criminal penalty of up to \$10,000 per day fine and 2 years in jail according to lowa Code Section 455B.146A.

9. Emission Limits

	lb/hr	tons/year	Concentration
Total Particulate (TSP)	N/A	N/A	0.1 gr/scf ¹
PM ₁₀ *	0.5^{3}	N/A	N/A
Opacity	N/A	N/A	20% ²
Sulfur Dioxide (SO ₂)	N/A	N/A	N/A
Nitrogen Oxides (NO _x)	N/A	N/A	N/A
Volatile Organic Compounds (VOC)	N/A	N/A	N/A
Carbon Monoxide (CO)	N/A	N/A	N/A
Lead (Pb)	N/A	N/A	N/A

N/A = Not Applicable

10. Compliance Testing Requirements

	Testing Required	Test Method
TSP	Yes ¹	Method 5, 40 CFR 60
PM_{10}	Yes ¹	201A with 202, 40 CFR 51*
Opacity	No	Method 9, 40 CFR 60
SO ₂	No	Method 6C, 40 CFR 60*
NO _x	No	Method 7E, 40 CFR 60*
VOC	No	Method 25A, 40 CFR 60 **
CO	No	Method 10, 40 CFR 60*
Pb	No	Method 12, 40 CFR 60***

^{*} or approved alternative

^{*} particulate matter having an aerodynamic diameter of ten (10) microns or less.

^{1 567} IAC 23.3(2)a

² 567 IAC 23.3(2)d

³ Limit based on air dispersion modeling of the facility.

^{**} For total hydrocarbons only; for high concentrations use Method 25B

^{***} For all metals together use Method 29

¹ Test Method 201A with 202, provided that the front half is included with the analysis, will satisfy the testing requirement of TSP.

10. Compliance Testing Requirements (continued)

If specified above, the owner shall verify compliance with the emission limitations contained in Permit Condition 9 within sixty (60) days after achieving maximum production rate and no later than one hundred eighty (180) days after the initial startup date of the proposed equipment.

The tests shall be conducted with the equipment operating in a manner representative of full rated capacity. Failure to test at this maximum may be cause to limit the source to operating at the level at which the compliance tests were conducted.

The following shall apply to all compliance tests:

- A. Each test to be conducted shall be approved by the DNR.
- B. Unless otherwise specified by the DNR, each test shall consist of three (3) separate runs. The duration shall be established by the DNR at the pretest meeting. The arithmetic mean of the three acceptable test runs shall apply for compliance, unless otherwise approved by the DNR.

A pretest meeting shall be held at a mutually agreeable site no less than fifteen (15) days prior to the date of each test. Each meeting shall be attended by representatives of the DNR, the owner, and the testing firm, if any. It is the responsibility of the owner to coordinate and schedule each meeting.

The DNR reserves the right to impose additional, different, or more detailed testing requirements. It shall be the responsibility of the owner to install the test ports.

11. Source Emission Characteristics

The emission unit shall be connected to the stack designated below.

StackHeightDiameterTemperatureFlowrateEP #513 feet26" X 29.75"70 °F29,000 acfm

NOTE: Stack has a horizontal discharge.

12. Operating Limits

A. The throughput of the wire chopping process cannot exceed 14,285.7 pounds per hour.

13. Operating Condition Monitoring

All records, as required below, shall be satisfactory for demonstrating compliance with all applicable operating limits.

Records shall be kept **on-site** for at least three years and shall be available for inspection by the Department. Records shall be maintained in a legible and orderly manner and shall indicate the following:

A. Record the amount of material fed to the process every hour.

14. Continuous Emission Monitoring

Continuous emission monitoring shall not be required at this time.

15. Definitions

Applicant Th	ne owner,	company	official	or	authorized	agent
--------------	-----------	---------	----------	----	------------	-------

CFR Code of Federal Regulations

Department Iowa Department of Natural Resources

IAC lowa Administrative Code

DNR lowa Department of Natural Resources
NAAQS National Ambient Air Quality Standards
Owner The owner or authorized representative

Permit The permit document including the permit conditions

SIP State Implementation Plan gr/scf Grains per standard cubic foot scfm Standard cubic feet per minute

END OF PERMIT CONDITIONS



			ä		
,					

CPI

Environmental Services, Inc.

799 Roosevelt Rd., Bldg 6, Ste. 110 - Glen Ellyn, Illinois 60137 phone: 630/469-6340 --- fax: 630/469-6470 www.continentalplacer.com

August 16, 2006

Mr. Chuck Corell Compliance Section Iowa DNR Air Quality Bureau 7900 Hickman Road, Suite 1 Urbandale, IA 50322

Subject: Modification Exemption of Air Permit No. 98-A-918 Facility No. 21-01-010

Mr. Corell:

On behalf of our client, Shine Bros., Corp., located at 528 East Park Street, Spencer, IA (Facility No. 21-01-010) CPI Environmental Services, Inc. submits this proposal to modify the air emission control system for the wire chopping line at the above named facility. This system is permitted under Iowa DNR Permit No. 98-A-918.

The existing system consists of a wire chopper controlled by a cyclone. The existing system has one emission point: the cyclone. A second cyclone is being proposed as a system modification to produce a higher quality product. This proposed cyclone will create an additional emission point, while not creating an increase in actual emissions. Our client intends to stay within the permitted operating throughput limit of 14285.7 pounds per hour, just redirect the airflow of the system between two cyclones rather than one as a means of creating a higher quality product. Since there is no increase in throughput, the proposed modification will not result in additional emissions. As such, the modification qualifies for a permit exemption under IAC 567 paragraph 22.1 (2) "i".

It is our client's intention to begin construction for this modification on August 24, 2006.

Should you have any related questions or concerns, please call me at (630) 469-6340, ext. 108. Thank you.

Sincerely,

CPI Environmental Services, Inc.


Deborah Hays

Attachments: Proposed Process Flow Diagram

Pc: Toby Shine, Shine Bros., Corp.



(9)



Production data 2	011			
	rt 5pm finish, date liste	d		
	tart date listed, 5am fin			
Production time in	17			-
Throughput in lbs.	./hr. (rounded up to ne	arest whole lb.)		
	Night Shift	Night Shift	Day Shift	Day Shift
Date	Production time	Hourly Throuput	Production Time	Hourly Throughput
1/1/2011		0	0	0
1/2/2011	8.92	7341	0	0
1/3/2011			11.67	5019
1/4/2011			10.5	
1/5/2011	 		8.58	
1/6/2011	 		10.5	
1/7/2011			6.83	
1/8/2011	 		11.17	· · · · · · · · · · · · · · · · · · ·
1/9/2011			0	
1/10/2011		 	10.67	
1/11/2011			4.33	
1/12/2011	7		8.75	· · · · · · · · · · · · · · · · · · ·
1/13/2011				
1/14/2011 1/15/2011			7.17	
1/16/2011			10.5	3845
1/17/2011			10.83	-
1/18/2011			9.33	
1/19/2011			3.33	
1/20/2011			10.33	
1/21/2011			10.42	
1/22/2011			11.33	
1/23/2011			0	
1/24/2011	9.00			
1/25/2011	8.50	6359	9.58	
1/26/2011	0.00	0	10.67	7353
1/27/2011	11.00	6106	6.75	2613
1/28/2011	0.00	0	11.67	5482
1/29/2011		0	0	0
1/30/2011			0	
1/31/2011				<u> </u>
2/1/2011				
2/2/2011				
2/3/2011				
2/4/2011	· · · · · · · · · · · · · · · · · · ·		<u> </u>	<u> </u>
2/5/2011				
2/6/2011				
2/7/2011			 	
2/8/2011	8.83	6388	11.67	7529

2/9/2011	8.25	8830	7.42	6657
2/10/2011	11.67	8148	6.75	5083
2/11/2011	11.42	6148	10.67	7202
2/12/2011	0.00	0148	0	0
2/13/2011	0.00	0	0	0
2/14/2011	7.42	7165	8.92	5472
2/15/2011	2.50	4687	9.33	4740
2/16/2011	4.33	3798	8.67	651
2/17/2011	11.75	5902	0.07	0
2/18/2011	12.00	3959	10	5039
2/19/2011	0.00	0	9.17	3673
2/20/2011	7.83	4448	- 0	0
2/21/2011	10.50	9284	10.67	5449
2/22/2011	8.58	6053	9.92	5340
2/23/2011	11.33	6835	10.5	5597
2/24/2011	10.75	7892	10.42	5950
2/25/2011	0.00	0	7.83	5408
2/26/2011	0.00	0	0	0
2/27/2011	9.00	8195	0	0
2/28/2011	10.33	8506	10.33	8308
3/1/2011	11.33	6893	7	5579
3/2/2011	10.08	6852	11.08	7049
3/3/2011	11.66	5364	4	8991
3/4/2011	11.08	5264	11.33	10349
3/5/2011	0.00	0	11	3969
3/6/2011	4.50	7654	0	0
3/7/2011	10.50	7813	11.58	3902
3/8/2011	9.17	5559	10.92	10343
3/9/2011	10.83	6989	10.25	4703
3/10/2011	12.00	8578	6.67	8519
3/11/2011	9.83	4528	7.5	10529
3/12/2011	0.00	0	0	0
3/13/2011	0.00	0	0	0
3/14/2011	7.50	6315	10.25	9249
3/15/2011	12.00	8135	10.08	7494
3/16/2011	8.75	7399	10.5	7438
3/17/2011	12.00	5695	10.92	9812
3/18/2011	0.00	0	11.75	5816
3/19/2011	0.00	0	7.25	3702
3/20/2011	9.42	6409	0	0
3/21/2011	9.83	7945	9.75	6076
3/22/2011	8.00	7736	11.33	6872
3/23/2011		9893	10.92	7594
3/24/2011		4551	11.33	8583
3/25/2011		8768	0	0
3/26/2011	0.00		0	0
3/27/2011	7.58	7289	0	0

*

3/28/2011	7.08	6236	5.08	6167
3/29/2011	7.00	8110	6.17	4747
3/30/2011	10.67	6149	10.67	7080
3/31/2011	9.42	6782	10.67	7713
4/1/2011	11.50	9128	11.17	5244
4/2/2011	11.00	3624	0.	0
4/3/2011	0.00	0	9.75	5838
4/4/2011	11.08	5365	11.75	5629
4/5/2011	10.92	5567	9.5	5690
4/6/2011	11.17	6888	12	6169
4/7/2011	11.25	7416	8.5	6891
4/8/2011	10.25	9951	0	0
4/9/2011	0.00	0	0	0
4/10/2011	0.00	0	8.08	6710
4/11/2011	11.00	6922	12622	4401
4/12/2011	11.75	8645	11.17	5350
4/13/2011	11.25	5872	8.5	4315
4/14/2011	0.00	0	10.67	5935
4/15/2011	11.08	9362	11.25	6648
4/16/2011	11.00	5846	0	0
4/17/2011	0.00	0	10.92	4693
4/18/2011	7.42	6916	11.33	6085
4/19/2011	10.84	8559	10.25	7445
4/20/2011	10.92	6918	9	4339
4/21/2011	10.25	8549	11.33	9478
4/22/2011	10.33	9755	0	0
4/23/2011	0.00	0	0	0
4/24/2011	0.00	0	2.42	11527
4/25/2011	7.92	6163	12	6508
4/26/2011	11.00	7988	9.5	9014
4/27/2011	11.00	6213	12	6092
4/28/2011	10.67	5634	9.25	7388
4/29/2011	11.17	6992	10.83	4312
4/30/2011	9.50	2657	0	0
5/1/2011	9.00	6135	0	0
5/2/2011	4.50	2770	8.92	6540
5/3/2011	11.00	10174	10.33	7518
5/4/2011	11.33	10913	7.17	9760
5/5/2011	0.00	0	7.5	11171
5/6/2011	0.00	0	0	0
5/7/2011	0.00	0	5	1621
5/8/2011	10.75	8115	0	0
5/9/2011	9.33	6811	10.33	9226
5/10/2011	9.75	8738	7	5306
5/11/2011	8.67	7103	10.17	5881
	11.75	8240	11.58	8382
5/12/2011	11.75	0240	11.30	0302

3577	10.5	0	0.00	5/14/2011
0	0	6404	6.00	5/15/2011
5485	9.08	5897	10.17	5/16/2011
6389	10.42	5904	10.58	5/17/2011
8715	9	2315	4.83	5/18/2011
7838	9.75	7554	9.75	5/19/2011
8870	10.67	0	0.00	5/20/2011
0	0	0	0.00	5/21/2011
0	0	6294	6.83	5/22/2011
8173	10.75	5797	8.42	5/23/2011
7640	11.5	5607	9.00	5/24/2011
8533	9.83	5907	10.92	5/25/2011
7734	11.5	7453	8.92	5/26/2011
9352	10.92	0	0.00	5/27/2011
0	0	0	0.00	5/28/2011
0	0	0	0.00	5/29/2011
0	0	5617	9.25	5/30/2011
8940	10.92	8365	11.67	5/31/2011
7640	11.5	5320	8.17	6/1/2011
10226	10.17	10740	9.25	6/2/2011
8332	9.58	0	0.00	6/3/2011
0332	0	0	0.00	6/4/2011
0	0	3470	9.25	6/5/2011
6229	10.5	7172	11.50	6/6/2011
6478	9.83	7810	8.75	
				6/7/2011
7823	9.75	5638	4.75	6/8/2011
7930	11.08	6396	11.67	6/9/2011
8679	10.67	0	0.00	6/10/2011
0	0	0	0.00	6/11/2011
0	0	5876	9.75	6/12/2011
0	0	7459	11.42	6/13/2011
7605	11.08	7988	11.00	6/14/2011
7540	8.33	9107	11.00	6/15/2011
7747	9.17	11361	8.00	6/16/2011
7653	8.25	0	0.00	6/17/2011
0	0	0	0.00	6/18/2011
0	0	10080	9.66	6/19/2011
8209	10.5	5937	8.50	6/20/2011
6168	11.08	5856	11.67	6/21/2011
7170	8.17	5856	11.67	6/22/2011
5244	11.17	6332	9.25	6/23/2011
7889	10.83	0	0.00	6/24/2011
0	0	0	0.00	6/25/2011
0	0	5462	11.17	6/26/2011
6688	8.92	8658	4.33	6/27/2011
10345	9.58	8184	9.92	6/28/2011
8975	11.08	6696	10.17	6/29/2011

7046	0.83	6200	12.00	6/20/2011
7046	9.83	6300	12.00	6/30/2011
7132	10.33	0	0.00	7/1/2011
0	0	0	0.00	7/2/2011
0	0	0	0.00	7/3/2011
0	0	5787	7.83	7/4/2011
7646	11.58	5975	9.58	7/5/2011
6059	11.5	6548	7.25	7/6/2011
5513	11.17	6975	10.25	7/7/2011
8013	10.58	0	0.00	7/8/2011
0	0	0	0.00	7/9/2011
0	0	5165	11.00	7/10/2011
7258	6.83	4169	9.50	7/11/2011
7498	8.17	5220	11.58	7/12/2011
6528	5.83	4000	8.25	7/13/2011
10461	4.17	5616	10.00	7/14/2011
8592	9.92	0	0.00	7/15/2011
0	0	0	0.00	7/16/2011
0	0	6105	10.75	7/17/2011
6843	10.33	5137	10.25	7/18/2011
7902	8	0	0.00	7/19/2011
4660	8	5101	9.92	7/20/2011
10132	10.25	8142	8.83	7/21/2011
12471	8.42	0	0.00	7/22/2011
0	0	0	0.00	7/23/2011
0	0	8562	9.58	7/24/2011
9364	6.83	2748	11.25	7/25/2011
7651	9.92	8096	8.25	7/26/2011
5456	10	8188	11.67	7/27/2011
8122	8.67	6973	11.50	7/28/2011
6572	11	0	0.00	7/29/2011
	0	0	0.00	7/30/2011
0			9.00	7/30/2011
7202	10.50	3462 1297	11.50	8/1/2011
7382	10.58			
7255	9.42	6489	12.00	8/2/2011
6405	10.67	5119	9.00	8/3/2011
7349	11	5230	11.00	8/4/2011
6655	10.17	0	0.00	8/5/2011
0	0	0	0.00	8/6/2011
0	0	4742	11.33	8/7/2011
7153	11.42	5135	6.00	8/8/2011
8142	4.92	2969	10.67	8/9/2011
10445	10.67	8808	10.08	8/10/2011
7892	9.66	9755	7.08	8/11/2011
11335	9.75	0	0.00	8/12/2011
0	0	0	0.00	8/13/2011
0	0	9006	7.58	8/14/2011
10621	8.83	8046	10.92	8/15/2011

8/16/2011	8.68	6756	9.58	9171
8/17/2011	11.42	6839	10.75	9989
8/18/2011	8.25	5846	10.73	8305
8/19/2011	0.00	0	7.42	6672
8/20/2011	0.00	0	0	0
8/21/2011	9.75	4760	0	0
8/22/2011	11.67	7329	11.25	7810
8/23/2011	9.75	6206	8.42	9.68
8/24/2011	11.50	7925	5.25	8672
8/25/2011	10.08	9029	1	7324
8/26/2011	0.00	0	0	0
8/27/2011	0.00	0	0	0
8/28/2011	10.75	5833	9.17	7536
8/29/2011	10.08	9288	6.25	9252
8/30/2011	0.00	0	4.58	6897
8/31/2011	10.50	7266	7.75	7524
9/1/2011	6.83	7106	9.83	5003
9/2/2011	0.00	0	9.42	7579
9/3/2011	0.00	0	0	0
9/4/2011	0.00	0	0	0
9/5/2011	10.83	6751	0	0
9/6/2011	7.08	6895	10.08	5015
9/7/2011	11.50	7205	8.92	8168
9/8/2011	9.83	6747	8.17	7415
9/9/2011	0.00	0	8.92	8438
9/10/2011	0.00	0	0	0
9/11/2011	5.50	6038	0	0
9/12/2011	6.42	5310	7.75	7484
9/13/2011	5.33	10972	8	8309
9/14/2011	7.25	9527	5	8048
9/15/2011	7.17	7748	8.75	8055
9/16/2011	0.00		4	5262
9/17/2011	0.00	0	0	0
9/18/2011	6.92		0	0
9/19/2011	2.84		6.08	8924
9/20/2011 9/21/2011	5.92		5.25 3.92	3602 11528
9/22/2011			_	11258
9/23/2011	0.00		4.92	10687
9/24/2011	0.00		4.92	10001
9/25/2011	5.73		0	0
9/26/2011	4.75		5.92	8567
9/27/2011	3.92		2.83	7781
9/28/2011	6.83		6.25	9378
9/29/2011	8.75		7.67	6310
	ļ		7.5	10199
9/30/2011	0.00	0	/.5	10177


10/	2/2011	5.75	11060	0	0
10/	3/2011	0.00	0	3.83	10010
	4/2011	6.00	8509	5.25	10490
10/	5/2011	6.83	9198	5.33	7368
10/	6/2011	4.67	7693	5.83	8732
10/	7/2011	0.00	0	5.17	6902
10/	8/2011	0.00	0	0	0
10/	9/2011	6.42	8367	0	0
10/1	0/2011	6.00	5648	5.33	9873
10/1	1/2011	7.17	9276	5.5	8390
10/1	2/2011	4.00	6957	5	9995
10/1	3/2011	6.42	5097	0.25	3710
10/1	4/2011	0.00	0	4.25	10866
10/1	5/2011	0.00	0	0	0
	6/2011	6.33	6255	0	0
10/1	7/2011	0.00	0	3.67	11135
10/1	8/2011	4.23	7798	3.25	8411
10/1	9/2011	0.00	0	4.92	10790
	0/2011	0.00	0	5.23	7208
	1/2011	0.00	0	5.17	8591
	2/2011	0.00	0	0	0
	3/2011	0.00	0	0	0
	4/2011	0.00	0	1.25	5047
	5/2011	0.00	0	5.08	9853
	6/2011	5.33	8138	5.08	10803
	7/2011	6.42	7490	6.25	9656
	8/2011	0.00	0	4.58	10557
	9/2011	0.00	0	0	0
	0/2011	3.08	4099	0	0
	1/2011	6.42	6942	6.33	7222
	1/2011	7.17	7436	4.33	5272
	2/2011	7.67	9952	5.83	9316
*****	3/2011	7.25	7621	4	9440
	4/2011	0.00	0	5.58	10296
	5/2011	0.00	0	0	0
	6/2011	5.50	7033	0	0
	7/2011	5.92	9794	4	9585
	8/2011	3.66	7404	5.5	11222
	9/2011	6.75	7861	5.08	8628
	0/2011	4.66	9332	5.25	3719
	1/2011 2/2011	0.00	0	5.33	6806
	3/2011	4.00	1000	0	0
	4/2011	7.17	10890 7805	0	42640
	5/2011	5.25	10157	5.92	12649
	6/2011	6.00	10157	3.33	7450
	7/2011	6.58	9336	4.92	11120
11/1	1/2011	0.58	9336	5.42	8070

9539	3.25	0	0.00	11/18/2011
0	0	0	0.00	11/19/2011
0	0	9294	7.00	11/20/2011
9788	6.42	9588	7.17	11/21/2011
7138	2.5	6916	5.92	11/22/2011
7372	4.92	0	0.00	11/23/2011
0	0	0	0.00	11/24/2011
0	0	0	0.00	11/25/2011
0	0	0	0.00	11/26/2011
0	0	7484	6.08	11/27/2011
8494	4.92	8717	5.33	11/28/2011
8408	6.5	11234	6.33	11/29/2011
8086	6.33	6894	9.00	11/30/2011
9390	5.58	9643	6.17	12/1/2011
11087	4.83	0	0.00	12/2/2011
0	0	0	0.00	12/3/2011
0	0	9293	1.75	12/4/2011
7226	1.08	10849	6.33	12/5/2011
8289	5.25	8296	6.67	12/6/2011
10092	7.25	9222	5.50	12/7/2011
7146	2.75	10519	7.17	12/8/2011
11689	6.25	0	0.00	12/9/2011
0	0	0	0.00	12/10/2011
0	0	5374	5.25	12/11/2011
9051	5	9775	6.17	12/12/2011
8386	6.42	8963	5.92	12/13/2011
6154	1	8317	5.67	12/14/2011
6829	5.5	5975	8.17	12/15/2011
7886	5.42	0	0.00	12/16/2011
0	0	0	0.00	12/17/2011
0	0	7690	6.92	12/18/2011
8633	3.42	6104	7.17	12/19/2011
8329	5.75	7498	7.08	12/20/2011
6039	7.42	10032	2.58	12/21/2011
11013	6.5	9995	4.58	12/22/2011
10490	7.84	-0	0.00	12/23/2011
0	0	0	0.00	12/24/2011
0	0	0	0.00	12/25/2011
0	0	9039	6.08	12/26/2011
5092	6.5	9491	4.92	12/27/2011
10146	3.5	7389	5.92	12/28/2011
8449	5.83	7041	7.00	12/29/2011
9574	5.42	0	0.00	12/30/2011
0	0	0	0.00	12/31/2011

Productio	n 2012				
		rt 5pm finish, date liste	rd		
		art date listed, 5am fin			
Productio			istriction of the grade		
		/hr. (rounded up to ne	arest whole lh)		
очВр		The trounded up to he	urest writing ib.j		
		Night Shift	Night Shift	Day Shift	Day Shift
Date		Production time	Hourly Throuput	Production Time	Hourly Throughput
	/1/2012		nouny moupat	0	nourly infoughput
	./2/2012		9925	0	0
	/3/2012	7.17	8412	6.42	9426
	/4/2012	6.67	7824	2.67	5420
	/5/2012		8804	5.67	86.9
	/6/2012		0	5.92	8327
	/7/2012	0.00	0	0.32	0327
	/8/2012	3.92	10310	0	0
	/9/2012		11749		11558
	10/2012				5987
	11/2012	8.33	6816		6257
	12/2012		9653	6.33	9467
	13/2012		0	6.75	8794
	14/2012			7.08	
	15/2012				11722
	16/2012		5064		10685
1.2	17/2012		9383		11418
	18/2012				
	19/2012	 			4333
	20/2012		 		
	21/2012				-
	22/2012				0
	23/2012				3583
	24/2012				
	25/2012				
	26/2012	· · · · · · · · · · · · · · · · · · ·			
	27/2012				
	28/2012		 		
	29/2012	 			
	/30/2012				
	30/2012 '31/2012		*****		
<u> </u>	2/1/2012	<u> </u>			
	2/2/2012				
	2/3/2012				
	2/4/2012				
	2/5/2012	 			
	2/6/2012				9215
	2/7/2012				3497
	2/8/2012				
	-, 0, 2012	.7.25	0230	5.5	10506

2/9/2012	6.92	9519	6.75	10546
2/10/2012	0.00	9519	4.75	8755
2/11/2012	0.00	0	0	0
2/12/2012	6.75	10492	0	0
2/13/2012	5.92	10964	6.5	11066
2/14/2012	7.67	6780	4.34	11912
2/15/2012	8.09	3816	6.25	7103
2/16/2012	9.50	7968	4.84	10401
2/17/2012	0.00	0	6	9128
2/18/2012	0.00	0	0	0
2/19/2012	4.84	7437	0	0
2/20/2012	6.42	8295	7	9755
2/21/2012	4.25	9815	4.09	7278
2/22/2012	8.17	5261	6.67	6044
2/23/2012	7.84	6052	7.59	4991
2/24/2012	2.17	2236	3.34	6909
2/25/2012	0.00	0	5.92	7344
2/26/2012	8.17	5800	0	0
2/27/2012	9.34	7229	8.17	11932
2/28/2012	4.42	8680	10.17	11321
2/29/2012	8.92	8133	9.09	10210
3/1/2012	6.34	4859	8.25	7553
3/2/2012	0.00	0	9.5	12013
3/3/2012	0.00	0	0	0
3/4/2012	8.34	6108	0	0
3/5/2012	10.42	9209	7.34	12033
3/6/2012	9.84	3000	7	9480
3/7/2012	9.34	6535	4.84	5591
3/8/2012	10.84	7739	9.17	11583
3/9/2012	0.00	0	6.25	9511
3/10/2012	0.00	0	0	0
3/11/2012	10.25	5908	0	0
3/12/2012	10.34	6274	8.84	8619
3/13/2012	8.34	9247	8.34	5742
3/14/2012	11.34	10093	9.17	7423
3/15/2012	0.00	0	7.75	5602
3/16/2012	0.00	0	8.75	6638
3/17/2012	0.00	0	0	0
3/18/2012	11.00	4263		0
3/19/2012	10.00	7005		9182
3/20/2012	0.00	0	5.5	5051
3/21/2012	10.42	8195		2978
3/22/2012	9.42	5273		10018
3/23/2012	0.00	0	7.5	5526
3/24/2012	0.00	0		0
3/25/2012	10.59	6027		0
3/26/2012	7.34	7385	7.75	5967

				
3/27/2012	9.75	6602	8	7094
3/28/2012	10.34	6917	4.5	12937
3/29/2012	10.42	4351	9	8199
3/30/2012	0.00	0	6.84	9400
3/31/2012	0.00	0	0	0
4/1/2012	10.50	7210	0	0
4/2/2012	6.42	6557	9.17	7385
4/3/2012	10.25	6279	8.84	8008
4/4/2012	10.50	8367	8.67	6064
4/5/2012	6.84	8572	8.75	8996
4/6/2012	0.00	0	5.42	8484
4/7/2012	0.00	0	0	0
4/8/2012	7.25	5056	0	0
4/9/2012	2.50	2113	7.09	7559
4/10/2012	9.25	7594	7.25	10509



STATE OF IOWA

Department of Environmental Quality

Kenneth M. Karch, P.E. Executive Director
LUCAS STATE OFFICE BUILDING
Des Moines, Iowa 50319
515/281-3045

February 1, 1973

Mr. Toby Shine Shine Brothers East Park and 7th Avenue Spencer, Iowa 51301

Re: Permit No. 73-A-32 Incinerator

Dear 81ra

In accordance with provisions specified in Chapter 455B, Code of Iowa, 1973, this permit is issued for the installation of an incinerator at Shine Brothers, Spencer, Iowa, for which plans and appropriate supplementary information have been received in this Department. This permit is issued subject to the following conditions and requirements:

- 1. This equipment for incineration of copper wire insulation has been evaluated with respect to potential conformance with the specified emission standards of zero point three five (0.35) grain of particulate matter perstandard cubic foet of exhaust gas adjusted to 12 percent carbon dioxide, excluding that added by the gas burners, and of smoke having a density less than Number 2 on the Ringalmann Chart or forty (40) percent opacity; and this permit will become void and a new permit will be required for additional or replacement equipment, if field tests after installation show that the unit will not meet the specified emission standards.
- 2. This permit implies no review of various engineering aspects of this installation other than the potential of the equipment involved for reducing emissions. This agency assumes no liability, directly or indirectly, for any loss due to damage to persons or property caused by, resulting from, or arising out of the design, installation, maintenance, or operation of the proposed equipment.
- 3. The permit requirements of the Iowa Water Quality Management Division applicable to the sludge treatment system shall be met.
- 4. This Department shall be provided appropriate notice at least ten (10) days before the incinerator is placed in operation.
- 5. This permit becomes void if construction of the installation is not started before April 1, 1973.

This permit is issued on the basis that the owner has the responsibility for assuring that the construction will conform with that shown on The United Corporation Incinerators, specifications and drawing for the Model G-466 packaged incinerator with 500,000 BTU/HR igniter and 400,000 to 600,000 BTU/HR afterburners, and that adequate operation and maintenance will be provided to the facilities installed such that no condition of sir pollution will be created. The issuing of this permit in no way relieves the owner of responsibility for compliance with all local, state, and federal laws, ordinances, regulations, or other requirements applying to this installation.

We are retaining one copy of the drawings and supplementary data for our records and returning one copy for the files of the swner. A copy of this permit and application form will be sent to the Clay County Board of Health and to Mr. Wayne Wills. As this letter constitutes an official permit, it should be retained in the files of the owner at the incinerator site.

Under the direction of the Iowa Air Quality Commission.

Sincerely.

AIR QUALITY MANAGEMENT DIVISION

Leo Classen, Chief

Engineering Services Section

LC: 11h


Enclosures

cc: Clay County Board of Health

Mr. Wayne Wills

Regional Representative, Spencer

	((
ISDH USE ONLY	W	u - [®]	ISDH USE ONLY
DENTED FOR:			Perm. 73-A32
Inc. Det.	TOUR ATD TOTALISTON CONTR		Plant 21-01-010
Inc. Calc.	IOWA AIR FOLLUTION CONTR		Date By
Inc. Desc.	IOWA STATE DEPARTMENT		Recd. /-/8-73 DON
RECEIVED	Lucas State Office	_	App. 2-1.73 LC
11.	Des Moines, Iowa	50319	Cond.
			Constr.
JAN 1 8 1973	ADDITCATION FOR A	TIPDATE	Oper.
0,20	APPLICATION FOR A		Denied
STATE OF ICWA	TO INSTALL OR A		73-27
DEPARTMENT OF ETVICETYMENTAL COAMTY	EQUIPMENT OR CONTROL	EQUIPMENT	15 21
AIR QUALITY MATERIAL CASH			
SUBMIT AP	PLICATION IN TRIPLICATE,	ENCLOSURES IN D	UPLICATE
FIRM NAME	Shine Brothers		
MAILING ADDRESS_	East Park & 7th	Avenue	
POULT		· · · · · · · · · · · · · · · · · · ·	
EQUIPMENT LOCATION	ON ADDRESS Same		
CITY Spansor			
Spencer	CSTATEI	owa ZIP	CODE 51301
NAME AND TITLE OF	DING THIS	(Name)	
PERMIT APPLICATION		712/262	T. C.
	(Title)		(Phone)
Application is he dance with Subsequipment:	ereby made for the instal ction 5.7, Chapter 136B,	lation or alter Code of Iowa, fo	ation, in accor- or the following
	e model G466 300# per		5
pollution abat	tement system. Manuf	actured by Un	ited Corpora tion
of Topeka, Kar	asas		
			· · · · · · · · · · · · · · · · · · ·
	and the second second		
General Nature o	f Business Salvage y	ard	
ENGINEER SUBMITTING PLANS	(Name) (Name) (Address) (Address) (City) (S	(P.	6-10-30-2 20ANA 14-185
above, this appl	ed, do hereby submit, in ication for a permit to in ment described in the rec	install or alter	the equipment



Iowa Department of Natural Resources Air Quality Construction Permit

Permit Holder

Firm: Shine Brothers

Contact:

Responsible Party:

Toby Shine President

Toby B. Shine President

(712) 262-5579

Box 737 528 East Park Street Spencer, IA 51301

Permitted Equipment

Emission Unit(s):

Shredder (100 tons/hour)

Control Equipment:

Cyclone

Emission Point:

EP 7

Equipment Location:

528 East Park Street

Spencer IA

Plant Number: 21-01-010

Proj. No.	Description	Date	Testing
03-713	Original Permit	December 8, 20003	Yes
05-573	Change Stack Characteristics	October 21, 2005	Yes
	Control of		
	03-713	03-713 Original Permit	03-713 Original Permit December 8, 20003

PERMIT CONDITIONS

The permit holder, owner and operator of the facility shall assure that the installation, operation, and maintenance of this equipment is in compliance with all of the conditions of this permit.

1. Departmental Review

This permit is issued based on information submitted by the applicant. Any misinformation, false statements or misrepresentations by the applicant shall cause this permit to be void. In addition, the applicant may be subject to criminal penalties according to lowa Code Section 455B.146A.

This permit is issued under the authority of 567 lowa Administrative Code (IAC) 22.3. The proposed equipment has been evaluated for conformance with lowa Code Chapter 455B; 567 IAC Chapters 20-31; and 40 CFR Parts 51, 52, 60, 61 and 63 and has the potential to comply.

No review has been undertaken on the engineering aspects of the equipment or control equipment other than the potential of that equipment for reducing air contaminant emissions. The DNR assumes no liability, directly or indirectly, for any loss due to damage to persons or property caused by, resulting from, or arising out of the design, installation, maintenance or operation of the proposed equipment.

2. Transferability

As limited by 567 IAC 22.3(3)"f", this permit is not transferable from one location to another or from one piece of equipment to another, unless the equipment is portable. When portable equipment for which a permit has been issued is to be transferred from one location to another, the DNR shall be notified in writing at least thirty (30) days prior to transferring to the new location (See 8.A.7). The owner will be notified at least ten (10) days prior to the scheduled relocation if the relocation will cause a violation of the National Ambient Air Quality Standards. In such case, a supplemental permit shall be required prior to the initiation of construction of additional control equipment or equipment modifications needed to meet the standards.

This permit is for the construction and operation of the specific emission unit(s), control equipment and emission point as described in this permit and in the application for this permit. Any owner or operator of the specified emission unit(s), control equipment or emission point, including any person who becomes an owner or operator subsequent to the date on which this permit is issued, is responsible for compliance with the provisions of this permit. No person shall construct, install, reconstruct or alter this emission unit, control equipment or emission point without the required revisions to this permit.

3. Construction

This permit shall become void if construction on the proposed project has not been initiated within eighteen (18) months after the date of the issuance of this permit and completed within thirty-six (36) months after the date of the issuance of this permit.

It shall be the responsibility of the owner to ensure that construction conforms to the final plans and specifications as submitted and that adequate operation and maintenance is provided to ensure that no condition of air pollution is created. A supplement to this permit shall be obtained if the owner proposes changes to the final submitted plans and specifications.

4. Credible Evidence

As stated in 567 IAC 21.5 and also in 40 CFR Part 60.11(g), where applicable, any credible evidence may be used for the purpose of establishing whether a person has violated or is in violation of any provisions specified in this permit or any provisions of 567 IAC Chapters 20 through 31.

5. Owner Responsibility

Issuance of this permit shall not relieve the owner or operator of the responsibility to comply fully with applicable provisions of the State Implementation Plan (SIP), and any other requirements of local, state, and federal law.

The owner or operator of any emission unit or control equipment shall maintain and operate the equipment and control equipment at all times in a manner consistent with good practice for minimizing emissions, as required by paragraph 567 IAC 24.2(1) "Maintenance and Repair".

6. Disposal of Contaminants

The disposal of materials collected by the control equipment shall meet all applicable rules.

7. Excess Emissions

Excess emissions during a period of startup, shutdown, or cleaning of control equipment are not a violation of the emission standard if it is accomplished expeditiously and in a manner consistent with good practice for minimizing emissions except when another regulation applicable to the unit or process provides otherwise. Cleaning of control equipment, which does not require the shutdown of process equipment, shall be limited to one six-minute period per one-hour period. An incident of excess emissions other than the above is a violation and may be subject to criminal penalties according to lowa Code 455B.146A. If excess emissions are occurring, either the control equipment causing the excess shall be repaired in an expeditious manner, or the process generating the emissions shall be shutdown within a reasonable period of time, as specified in 567 IAC 24.1.

An incident of excess emissions shall be orally reported to the appropriate DNR field office within eight (8) hours of, or at the start of, the first working day following the onset of the incident (See section 8.B.1). A written report of an incident of excess emissions shall be submitted as a follow-up to all required oral reports within seven (7) days of the onset of the upset condition.

8. Notification, Reporting and Recordkeeping

- A. The owner shall furnish the DNR the following written notifications:
 - 1. The date construction, installation, or alteration is initiated postmarked within thirty (30) days following initiation of construction, installation, or alteration;
 - The actual date of startup, postmarked within fifteen (15) days following the start of operation;
 - 3. The date of each compliance test required by Permit Condition 12, at least thirty (30) days before the anticipated compliance test date;
 - 4. The date of each pretest meeting, at least fifteen (15) days before the proposed meeting date. The owner shall request a proposed test plan protocol questionnaire at least sixty (60) days prior to each compliance test date. The completed questionnaire shall be received by the DNR at least fifteen (15) days before the pretest meeting date;
 - 5. Transfer of equipment ownership, within 30 days of the occurrence;
 - 6. Portable equipment relocation, at least thirty (30) days before equipment relocation.

8. Notification, Reporting and Recordkeeping (Continued)

- B. The owner shall furnish DNR with the following reports:
 - 1. Oral excess emissions reports, in accordance with 567 IAC 24.1;
 - 2. Indicator opacity reports in accordance with Opacity Policy 3-b-08 (See footnote 3, Permit Condition 10);
 - 3. A written compliance demonstration report for each compliance testing event, whether successful or not, postmarked not later than forty-five (45) days after the completion of the test period unless other regulations provide for other notification requirements. In that case, the more stringent reporting requirement shall be met;
 - 4. Operation of this emission unit(s) or control equipment outside of those limits specified in Permit Conditions 10 and 14 and according to the schedule set forth in 567 IAC 24.1.
- C. The owner shall send correspondence regarding this permit to the following addresses:

Construction Permit Supervisor Air Quality Bureau Iowa Department of Natural Resources 7900 Hickman Road, Suite 1 Urbandale, IA 50322 Telephone: (515) 281-8189

Fax: (515) 242-5094

D. The owner shall send correspondence concerning stack testing to:

Stack Testing Coordinator
Air Quality Bureau
lowa Department of Natural Resources
7900 Hickman Road, Suite 1
Urbandale, Iowa 50322
Telephone: (515) 242-6001

FAX: (515) 242-5127

E. The owner shall send reports and notifications to:

Compliance Unit Supervisor
Air Quality Bureau
Iowa Department of Natural Resources
7900 Hickman Road, Suite 1
Urbandale, IA 50322
Telephone: (515) 281-8448

Fax: (515) 242-5127

Field Office #3 1900 North Grand Avenue Spencer, IA 51301 Phone: (712) 262-4177

lowa Department of Natural Resources

Phone: (712) 262-4177 Fax: (712) 262-2901

F. All data, records, reports, documentation, construction plans, and calculations required under this permit shall be available at the plant during normal business hours for inspection and copying by federal, state, or local air pollution regulatory agencies and their authorized representatives, for a minimum of two (2) years from the date of recording.

9. Permit Violations

Knowingly committing a violation of this permit may carry a criminal penalty of up to \$10,000 per day fine and 2 years in jail according to lowa Code Section 455B.146A.

10. Emission Limits

Pollutant	lb/hr ⁽¹⁾	Tons/Yr ⁽²⁾	Additional Limits	Reference (567 IAC)
Particulate Matter (PM)	6.86(4)	NA	0.1 gr/dscf	23.3(2)"a"
PM ₁₀	6.86 ⁽⁴⁾	NA	NA	NAAQS
Opacity	NA	NA	40% ⁽³⁾	23.3(2)"d"
Sulfur Dioxide (SO ₂)	NA	NA	NA	23.3(3)
Nitrogen Oxides (NO _x)	NA	NA	NA	NA
Volatile Organic Compounds	NA	NA	NA	NA
Carbon Monoxide (CO)	NA	NA	NA	NA
Lead (Pb)	NA	NA	NA	NA
(Single HAP)	NA	NA	NA	NA
(Total HAP)	NA	NA	NA	NA

⁽¹⁾ Standard is expressed as the average of 3 runs

(2) Standard is a 12-month rolling total.

11. Emission Point Characteristics

This emission point shall conform to the specifications listed below.

Parameter	Value
Stack Height, (ft, from the ground)	18.7 feet
Discharge Style	Vertical Unobstructed
Stack Opening, (inches, dia.)	36 in. dia.
Exhaust Temperature (°F)	Ambient (70 °F)
Exhaust Flowrate (scfm)	13,800 scfm

The temperature and flow rate are intended to be representative and characteristic of the design of the permitted emission point. The Department recognizes that the temperature and flow rate may vary with changes in the process and ambient conditions. If it is determined that any of the emission point design characteristics are different than the values stated above, the owner/operator must notify the Department and obtain a permit amendment, if required.

An exceedance of the indicator opacity of 10% will require the owner/operator to promptly investigate the emission unit and make corrections to operations or equipment associated with the exceedance. If exceedances continue after the corrections, the DNR may require additional proof to demonstrate compliance (e.g., stack testing).

(4) Emission rate based on air dispersion modeling.

12. Initial Performance Testing Requirements

Pollutant	Testing Required	Test Run Time	Test Method
PM (State)	No	1 hour	Iowa Compliance Sampling Manual Method 5
PM ₁₀	Yes	1 hour	40 CFR 51, Appendix M, 201A with 202
Opacity	Yes	1 hour	40 CFR 60, Appendix A, Method 9
SO ₂	No	1 hour	40 CFR 60, Appendix A, Method 6C
NO _X	No	1 hour	40 CFR 60, Appendix A, Method 7E
VOC	No	1 hour	40 CFR 60, Appendix A, Method 25A
CO	No	1 hour	40 CFR 60, Appendix A, Method 10
Pb	No	1 hour	40 CFR 60, Appendix A, Method 12
Other	No	TBD	(12

If specified above, the owner shall verify compliance with the emission limitations contained in Permit Condition 10 within 90 days after the issuance of this permit. The unit(s) being sampled should be operated in a normal manner at its maximum continuous output as rated by the equipment manufacturer, or the rate specified by the owner as the maximum production rate at which this unit(s) will be operated. In cases where compliance is to be demonstrated at less than the maximum continuous output as rated by the manufacturer, and it is the owner's intent to limit the capacity to that rating, the owner may submit evidence to the department that this unit(s) has been physically altered so that capacity cannot be exceeded, or the department may require additional testing, continuous monitoring, reports of operating levels, or any other information deemed necessary by the department to determine whether this unit(s) is in compliance.

Each emissions compliance test must be approved by the DNR. Unless otherwise specified by the DNR, each test shall consist of three separate runs. The arithmetic mean of three acceptable test runs shall apply for compliance, unless otherwise indicated by the DNR. The test methods and run times to be used are those stated above unless otherwise approved by the DNR.

A pretest meeting shall be held at a mutually agreeable site no less than fifteen (15) days prior to the date of each test. Representatives from the DNR shall attend this meeting, along with the owner and the testing firm, if any. It shall be the responsibility of the owner to coordinate and schedule the pretest meeting. The owner shall be responsible for the installation and maintenance of test ports. The DNR shall reserve the right to impose additional, different, or more detailed testing requirements.

13. NSPS and NESHAP Applicability

There are no New Source Performance Standards (NSPS) for this source type at this time.

There are no National Emission Standards for Hazardous Air Pollutants (NESHAP) for this source type at this time.

14. Operating Limits

No operating limitations will be imposed at this time.

15. Operating Condition Monitoring

All records as required by this permit shall be kept on-site for a minimum of two (2) years and shall be available for inspection by the DNR. Records shall be legible and maintained in an orderly manner.

No operating condition monitoring will be required at this time.

16. Continuous Emission Monitoring

Continuous emission monitoring is not required by this permit at this time.

Shine Brothers Spencer, Iowa Shredder (EP 7) 03-A-1295-S1

page 8 of 8

17. Descriptions of Terms and Acronyms

acfm Actual cubic feet per minute

Applicant The owner, company official or authorized agent

CFR Code of Federal Regulations

Department Iowa Department of Natural Resources
DNR Iowa Department of Natural Resources
gr/dscf Grains per dry standard cubic foot

HAP Hazardous Air Pollutant(s)
IAC Iowa Administrative Code
MMBtu One million British thermal units

NA Not Applicable

NAAQS National Ambient Air Quality Standards

NO_x Nitrogen Oxides

Owner The owner or authorized representative

Permit This document including permit conditions and all submitted application materials PM₁₀ Particulate Matter equal to or less than 10 microns in aerodynamic diameter

scfm Standard cubic feet per minute SIP State Implementation Plan

SO₂ Sulfur Dioxide

VOC Volatile Organic Compound

END OF PERMIT CONDITIONS